

DUMPSBOSS.

Zend Certified Engineer

Zend 200-710

Version Demo

Total Demo Questions: 15

Total Premium Questions: 232

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co

dumpsboss.co

QUESTION NO: 1

When a browser requests an image identified by an img tag, it never sends a Cookie header.

- A. TRUE
- B. FALSE

ANSWER: B

QUESTION NO: 2

The XML document below has been parsed into \$xml via SimpleXML. How can the value of tag accessed?

Value

- A. `$xml->bar['foo']`
- B. `$xml->bar->foo`
- C. `$xml['document']['bar']['foo']`
- D. `$xml->document->bar->foo`
- E. `$xml->getElementByName('foo');`

ANSWER: B

QUESTION NO: 3

An unbuffered database query will: (Choose 2)

- A. Return the first data faster
- B. Return all data faster
- C. Free connection faster for others scripts to use
- D. Use less memory

ANSWER: A D

QUESTION NO: 4

When uploading a file to a PHP script using the HTTP PUT method, where would the file data be found?

- A. the \$_FILES super-global
- B. the input stream php://input
- C. the \$_POST super-global
- D. the global variable scope

ANSWER: B

QUESTION NO: 5

How can the id attribute of the 2nd baz element from the XML string below be retrieved from the SimpleXML object found inside \$xml?

One

Two

One

Two

One

Two

- A. `$xml->getElementById('2');`
- B. `$xml->foo->bar->baz[2]['id']`
- C. `$xml->foo->baz[2]['id']`
- D. `$xml->foo->bar->baz[1]['id']`
- E. `$xml->bar->baz[1]['id']`

ANSWER: E

QUESTION NO: 6

Your application uses PHP to accept and process file uploads. It fails to upload a file that is 5 MB in size, although `upload_max_filesize` is set to "10M". Which of the following configurations could be responsible for this outcome? (Choose 2)

- A. The PHP configuration option `post_max_size` is set to a value that is too small
- B. The web server is using an incorrect encoding as part of the HTTP response sent to the client
- C. The browser uses an incorrect encoding as part of the HTTP request sent to the server
- D. The hidden form field `MAX_FILE_SIZE` was set to a value that is too small
- E: PHP cannot process file uploads larger than 4 MB

ANSWER: A D

QUESTION NO: 7

Which methods can be used to overload object properties? (Choose 2)

- A. set(), get()
- B. __set(), __get()
- C. __put(), __receive(), __exists()
- D. set(), get(), isset()
- E: __isset(), __unset()

ANSWER: B

QUESTION NO: 8

What can prevent PHP from being able to open a file on the hard drive (Choose 2)?

- A. File system permissions
- B. File is outside of open_basedir
- C. File is inside the /tmp directory.
- D. PHP is running in CGI mode.

ANSWER: A B

QUESTION NO: 9

Which of the following statements about anonymous functions in PHP are NOT true? (Choose 2)

- A. Anonymous functions can be bound to objects
- B. Anonymous functions created within object context are always bound to that object
- C. Assigning closure to a property of an object binds it to that object
- D. Methods bind() and bindTo() of the Closure object provide means to create closures with different binding and scope
- E: Binding defines the value of \$this and the scope for a closure

ANSWER: B C

QUESTION NO: 10

PHP's array functions such as `array_values()` can be used on an object if the object...

- A. implements Traversable
- B. is an instance of ArrayObject
- C. implements ArrayAccess
- D. None of the above

ANSWER: D

QUESTION NO: 11

What is the result of the following code?

```
define('PI', 3.14);  
  
class T  
{  
    const PI = PI;  
}  
  
class Math  
{  
    const PI = T::PI;  
}  
  
echo Math::PI;
```

- A. Parse error
- B. 3.14
- C. PI
- D. T::PI

ANSWER: B

QUESTION NO: 12

You need to escape special characters to use user input inside a regular expression. Which functions would you use? (Choose 2)

- A. addslashes()
- B. htmlentities()
- C. preg_quote()
- D. regex_quote()
- E: quote_meta()

ANSWER: C

QUESTION NO: 13

What is the output of this code?

```
$world = 'world';  
echo <<<'TEXT'  
hello $world  
TEXT;
```

- A. hello world
- B. hello \$world
- C. PHP Parser error

ANSWER: C

QUESTION NO: 14 - (FILL BLANK)

What is the output of the following code?

```
function increment ($val)  
{  
++$val;  
}  
$val = 1;  
increment ($val);  
echo $val;
```

ANSWER: 1

QUESTION NO: 15

Which of the following are valid identifiers? (Choose 3)

- A. `function 4You() { }`
- B. `function _4You() { }`
- C. `function object() { }`
- D. `$1 = "Hello";`
- E. `$_1 = "Hello World";`

ANSWER: B C