

# DUMPSBOSS.

## HITACHI DATA SYSTEMS STORAGE MANAGER - STORAGE MANAGEMENT EXAM

Hitachi HH0-380

Version Demo

Total Demo Questions: 10

Total Premium Questions: 101

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

Which Hitachi Command Suite product would be installed on a server different from the one where the Hitachi Device Manager software resides?

- A. Tiered Storage Manager
- B. Tuning Manager
- C. Partition Manager
- D. Replication Manager

**ANSWER: B**

## QUESTION NO: 2

You are installing Hitachi Device Manager and need to verify the existence of the peer user profile. Which user name should you verify?

- A. hauser
- B. system
- C. manager
- D. administrator

**ANSWER: A**

## QUESTION NO: 3

You want to use the Hitachi Command Suite dashboard to show only certain information. Which two reports would be displayed? (Choose two.)

- A. storage system alerts
- B. completed tasks
- C. datacenter utilization
- D. pool utilization

**ANSWER: A C**

## QUESTION NO: 4

Which Hitachi Command Suite (HCS) CLI command would you use when moving the HCS databases to another host?

- A. hcmdssrv
- B. hcndsbackups
- C. hcmdsdbtrans
- D. hcmdschgurl

**ANSWER: C**

## QUESTION NO: 5

You want to configure hosts connected to a VSP using the Host Scan feature of Hitachi Device Manager. Which action must be performed?

- A. Ensure all hosts are related to a host group.
- B. Ensure all hosts are related to the same host group.
- C. Set the storage WWN for LUN security.
- D. Set the host WWN for LUN security.

**ANSWER: A**

## QUESTION NO: 6

You want to use Hitachi Device Manager (HDvM) to manage your existing Hitachi Dynamic Provisioning (HDP) environment. Which three HDvM CLI commands can be used? (Choose three.)

- A. AddPool
- B. GrowPool
- C. ModifyPool
- D. MapLun
- E. AddLun

**ANSWER: A C E**

## QUESTION NO: 7

You want to restore the HiRDB database on a Hitachi Command Suite (HCS) server. Which two operations should you perform? (Choose two.)

- A. Edit the server.properties file to prepare the database synchronization.
- B. Open the Utility tab in the HCS GUI and select the Restore Database function.
- C. Run the HiRDB backup/restore wizard and select the backup file to be restored.
- D. Use the hcmdsdb /restore command to initiate the restore process.

**ANSWER: A D**

## QUESTION NO: 8

A customer is using the Hitachi Command Suite (HCS) to manage their storage environment comprising VSPs, HUS and HNAS platforms connected to Linux and Windows servers. Several of the HUS systems, as well as competitors arrays are virtualized behind the VSPs. Which three functions does the HCS provide in this environment? (Choose three.)

- A. common GUI
- B. server virtualization software
- C. integration of all third-party arrays in a global storage management framework
- D. single management tool for all Hitachi storage systems and virtualized storage environments
- E. common CLI

**ANSWER: A D E**

## QUESTION NO: 9

Using the Element Manager feature of Hitachi Device Manager, which term describes the storage system port-to-port connections shared by external LUNs on a VSP?

- A. Port Group ID
- B. Path Group ID
- C. Path Pool ID
- D. Port Pool ID

**ANSWER: B**

## QUESTION NO: 10

Which two operations would you perform on a VSP using the Element Manager feature of Hitachi Device Manager? (Choose two.)

- A. Create a system disk.
- B. Generate storage utilization reports for groups of storage systems.
- C. View the configuration of a storage system.
- D. Update a storage system microcode.

**ANSWER: A C**