

# DUMPSBOSS.

## Implementing Cisco Connected Physical Security 1

Cisco 648-238

Version Demo

Total Demo Questions: 10

Total Premium Questions: 154

Buy Premium PDF


<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

Refer to the exhibit.



You are the system administrator for a newly deployed Cisco Video Surveillance solution. You want to save time by importing all of the Cisco IP cameras to the system without having to add each camera individually.

Which two options accomplish this? (Choose two.)

- A. Add each camera manually.
- B. Discover New Cameras (auto-discovery).
- C. Medianet auto-configuration.
- D. Import cameras from file.
- E. Set up a new media server to the deployment on the 192.168.1.x network.

**ANSWER: C D**

## QUESTION NO: 2

Which two options are workstation requirements for Cisco VSM 7.x? (Choose two.)

- A. Microsoft Internet Explorer 8 (64-bit)
- B. Microsoft .NET Framework 4.0
- C. Microsoft DirectX 11.0 or higher
- D. Microsoft Windows 7 Enterprise (64-bit)
- E. Microsoft Internet Explorer 8 (32-bit)

**ANSWER: B C**

## QUESTION NO: 3

In Cisco VSM 7.0.1 (or higher), what is the maximum number of video panes that can be displayed at any given time in the VSOM Monitor Video tab?

- A. 1
- B. 4
- C. 16
- D. 32

**ANSWER: C**

## QUESTION NO: 4 - (DRAG DROP)


Select & Place:

You just deployed a virtual, co-located Cisco VSM 7 OVA image and added a 1 TB virtual disk for media storage. You are trying to add a Media Server via Cisco VSOM and get the following error message: "The following error occurred while verifying the hardware. Operation failed. There are no media partitions on the media server..."

Place the actions in column A below in the correct order to fix this error.

Mount partition	Step 1
Create and format partition	Step 2
Create video repository directory	Step 3
Reboot	Step 4
Add fstab entry	Step 5
"chown" partition directory	Step 6

**ANSWER:**



Create and format - Step 1, Create Video - Step 2, Add fstab - Step 3, Mount partition - Step 4, chown - Step 5, Reboot - Step 6

## QUESTION NO: 5

Refer to the exhibit.

Which three Advanced Event configurations based on the template are valid? (Choose three.)

**A.** Trigger: Motion Started  
 One-Time Action: Record for Some time  
 Timeslot: Weekdays  
 Stop after (min): 5  
 Stream Number: 1

**B.** Trigger: Motion Started  
 One-Time Action: Alert  
 Timeslot: --Any--  
 Stream Number: 1

**C.** Trigger: Motion Started  
One-Time Action: Record for Some time  
Timeslot: --Any--  
Stop after (min): 5  
Stream Number: 1

**D.** Trigger: Contact Opened  
One-Time Action: Aim Camera  
Timeslot: --Any--  
Stream Number: 1

**E.** Trigger: Contact Opened  
One-Time Action: Record for Some time  
Timeslot: Nights and Weekends  
Stop after (min): 5  
Stream Number: 1

**ANSWER: A C E**

## QUESTION NO: 6

In addition to bandwidth, which factors should be considered when designing an IP network capable of delivering high-quality surveillance video in real time?

- A. Minimize jitter and maximize latency
- B. Minimize latency and maximize jitter
- C. Minimize both jitter and latency
- D. Maximize both jitter and latency

**ANSWER: C**

## QUESTION NO: 7

In the Cisco VSM 6.3.2 solution, VSOM is used for which two of the following functions? (Choose two.)

- A. View live and recorded video
- B. Record video from IP cameras
- C. Upgrade the VSMS
- D. Configure IP cameras, archives, and events
- E. Configure storage repositories for the system

**ANSWER: A D**

## QUESTION NO: 8

From which web interface can the Cisco VSMS be upgraded?

- A. VSOM admin pages
- B. VSOM operator pages
- C. VSMC management console page
- D. VSMS BWT pages

**ANSWER: C**

## QUESTION NO: 9

Which product family is a building block for the Cisco Borderless Network Architecture, designed specifically for branch deployments and applications including Cisco Video Surveillance?

- A. Cisco UCS Express and UCS E-Series
- B. Cisco Catalyst 3750-X Series Multi-Layer Switches
- C. Cisco 3800 Unified Access Switches
- D. Cisco Integrated Services Routers Generation 2

**ANSWER: D**

## QUESTION NO: 10

Which of the following statements is false with regard to the Cisco 4- and 8-channel standalone encoders?

- A. They both support dual streaming.
- B. They both support motion detection.
- C. They both support simultaneous video and audio.
- D. They both support H.264 compression.

**ANSWER: A**