

DUMPSBOSS.

Implementing Cisco Service Provider Mobility CDMA Networks (SPCDMA)

Cisco 600-211

Version Demo

Total Demo Questions: 10

Total Premium Questions: 70

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

What two tunnelling protocols does Mobile IPv4 use? (Choose two.)

- A. IP-in-IP
- B. GRE
- C. IPSec
- D. SSL
- E. SSH
- F. IP over UDP

ANSWER: A B

QUESTION NO: 2

What is the default ruledef type on the Cisco ASR 5000 if the rule-application parameter is not defined?

- A. Post-processing ruledef
- B. Routing ruledef
- C. Charging ruledef
- D. Pre-processing ruledef

ANSWER: C

QUESTION NO: 3

What is the signaling interface between the EPC MME and the evolved HRPD Access Network (eAN/ePCF)?

- A. S103
- B. X2
- C. S101
- D. H1
- E. A10

F. A11

ANSWER: C

QUESTION NO: 4

What two mechanisms can content filtering be achieved through on the Cisco ASR 5000? (Choose two.)

- A. URL Blacklisting
- B. Category-based Content Filtering
- C. Dynamic Content Control
- D. Smart Web Filtering
- E. Dynamic Category Filtering
- F. Proxy Based Content Control

ANSWER: A B

QUESTION NO: 5

Which three flow action configuration options are available for charging rules on the Cisco ASR 5000? (Choose three.)

- A. discard
- B. random-drop
- C. redirect-url
- D. optimize
- E. increase-charge
- F. capture

ANSWER: A B C

QUESTION NO: 6

Which two protocols are used in Simple IP by Mobile? (Choose two.)

- A. PPP

- B. IP
- C. MIP
- D. RADIUS
- E. Diameter
- F. GRE

ANSWER: A B

QUESTION NO: 7

Which underlying protocol is used for RADIUS messages in CDMA?

- A. TCP
- B. SCTP
- C. UDP
- D. ICMP

ANSWER: C

QUESTION NO: 8

Which Cisco ASR 5000 CLI options are available actions that can be taken when NAT allocation is in progress?

- A. forward or buffer
- B. drop or continue
- C. buffer or drop
- D. buffer or continue

ANSWER: C

QUESTION NO: 9

Which message is sent from the PDSN to the AAA server to indicate a new subscriber data session?

- A. Accounting-Request with Acct-Status-Type = Start

- B. Accounting-Request with Acct-Status-Type = Request
- C. Accounting-Request with Acct-Status-Type = Open
- D. Accounting-Request with Acct-Status-Type = Access

ANSWER: A

QUESTION NO: 10 - (DRAG DROP)

DRAG DROP

Drag the PGW Selection Procedure on the left to match the corresponding Sequence on right. Not all Procedures on left are used.

Select and Place:

PGW address list from DNS

PGW Priority from AAA

AAA DNS query

Topology matching

APN FQDN constructed

HSGW DNS query

Step 1

Step 2

Step 3

Step 4

ANSWER:

PGW address list from DNS

PGW Priority from AAA

AAA DNS query

Topology matching

APN FQDN constructed

HSGW DNS query

APN FQDN constructed

HSGW DNS query

PGW address list from DNS

Topology matching