

DUMPSBOSS.

Axis Network Video Exam

Axis Communications ANVE

Version Demo

Total Demo Questions: 10

Total Premium Questions: 138

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Which of the following are outdoor rated products? (Choose two)

- A. AXIS M3114-R
- B. AXIS P3304-VR
- C. AXIS P1344-E
- D. AXIS P3344-VE
- E. AXIS M1031-W

ANSWER: C D

QUESTION NO: 2

Which of the following actions can be taken using the AXIS T8414 Installation Display? (Choose two)

- A. Power up a PoE camera
- B. Make snapshots
- C. Access a camera's home page
- D. Reset a camera to factory default values
- E. Read user documentation for cameras

ANSWER: A B

QUESTION NO: 3

In a network surveillance installation, the purpose of a switch is to

- A. Forward the video stream between networks.
- B. Forward the video stream to the correct receiver within a network.
- C. Disconnect malfunctioning cameras from the network.
- D. Disconnect devices with invalid IP addresses from the network.

ANSWER: B

QUESTION NO: 4

The capability to view and record up to four different areas of the whole image of an AXIS P1346 is called

- A. Multicast streaming.
- B. Multi-view streaming.
- C. Broadcast streaming.
- D. Multi-link streaming.

ANSWER: B

QUESTION NO: 5

What are the effects of changing the capture mode on an AXIS P1346 from 2048x1536 (3 MP) to 1920x1080 (HDTV)? (Choose two)

- A. Minimum illumination decreases
- B. Vertical angle of view decreases
- C. Maximum frame rate decreases
- D. Maximum frame rate increases
- E. Motion blur increases

ANSWER: B D

QUESTION NO: 6

Which conditions would lead the system designer to choose a camera with good low light performance over a thermal camera? (Choose two)

- A. The camera is going in a primarily dark area, such as a subway or parking garage
- B. The camera is going to be placed inside looking out through a window
- C. The camera is going to be placed in a parking lot for facial identification
- D. The camera is going to employ trip line detection looking down a fence line

E. The camera is going to be placed on a roof line looking down at an empty field

ANSWER: B C

QUESTION NO: 7

To make use of IEEE 802.1 X when connecting a camera to the network, you need(Choose two)

- A. An Ethernet switch with support for IEEE 802.1X.
- B. A router.
- C. A RADIUS server.
- D. Category 6 or Category 5e Ethernet cabling.
- E. A server with a Gigabit Ethernet network card.

ANSWER: A C

QUESTION NO: 8

Which is an advantage of the H.264 compression standard?

- A. Bandwidth and storage usage is independent of the amount of motion in the video
- B. Compared to Motion JPEG. H.264 video reduces the CPU load when viewing the video
- C. In most situations, compared to Motion JPEG. H.264 video reduces bandwidth and storage usage
- D. The intra-frame coding makes the video less sensitive to network dropouts

ANSWER: C

QUESTION NO: 9

A camera is positioned where backlighting is a problem. What would be the preferred action?



- A. Use a lens with a polarized filter
- B. Axis P-iris technology will solve your problem
- C. Increase the shutter speed to more than 1 /100 s
- D. Add additional light sources to counter backlighting

ANSWER: D

QUESTION NO: 10

Which of the following allows customer to access between 2-4 channels of live and online stored video at any time?

- A. AXIS Camera Station
- B. AXIS Video Hosting System(AVHS)
- C. AXIS Camera Management
- D. AXIS Media Control

ANSWER: B