

# DUMPSBOSS.

## PeopleSoft PeopleTools 8.5x Implementation Essentials

Oracle 1z0-632

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

You configure embedded pop-up help for a scroll area header or a grid header by \_\_\_\_\_.

- A. using the Insert menu to insert a Popup help button on the grid header or scroll area header in place of the Navigation bar
- B. adding a hyperlink or push button to the header linking to the delivered online help
- C. adding a hyperlink or push button to the header linking to your custom online help
- D. selecting Message Catalog Popup on the Label tab of the Grid Properties Dialog box or the Scroll Area Properties dialog box

## ANSWER: D

### Explanation:

Reference: [https://docs.oracle.com/cd/E41633\\_01/pt853pbh1/eng/pt/tapd/task\\_ConfiguringEmbeddedHelpforScrollAreasandGrids-277585.html](https://docs.oracle.com/cd/E41633_01/pt853pbh1/eng/pt/tapd/task_ConfiguringEmbeddedHelpforScrollAreasandGrids-277585.html)

## QUESTION NO: 2

Identify two types of tables used in the PeopleSoft feature named TableSet Sharing. (Choose two.)

- A. Cluster tables
- B. Temporary tables
- C. Transparent tables
- D. Transaction tables
- E. Audit tables
- F. Control tables

## ANSWER: D F

### Explanation:

Reference: [https://docs.oracle.com/cd/E29376\\_01/hracs90r5/eng/psbooks/lfn/chapter.htm?](https://docs.oracle.com/cd/E29376_01/hracs90r5/eng/psbooks/lfn/chapter.htm?File=lfn/htm/lfn03.htm)

File=lfn/htm/lfn03.htm

## QUESTION NO: 3

Your client has stipulated that a bonus of greater than 10% requires prior approval. The following SaveEdit program was developed to issue a warning when the bonus exceeds that amount:

```
If PAY_TABLE.BONUS_PCT.Value > 10 Then  
    Warning MsgGet(23224, 10, "Message not found.");  
End-If;
```



However, as written, this warning is reissued for previously approved and saved bonus amounts that exceed 10%. How should you revise the conditions in the If clause to display a warning for new or updates bonuses only?

- A. Check the IsDirty property of the Field object
- B. Check the IsNew property of the Row object
- C. Check the IsChanged property of the Field object
- D. Check the IsNew property of the Field object
- E. Check the IsDirty property of the Row object
- F. Check the IsNew property of the Record object

**ANSWER: C F**

## QUESTION NO: 4

View the exhibits.



Based on the page layout, what is wrong with the search page and how should you fix it?

- A. The Add actions should not be available; check the component definition for the Item Label
- B. Include History and Correction should be displayed; check the Internet tab of the Component Properties dialog box
- C. The Add action should not be available; check the Internet tab of the Component Properties dialog box
- D. Include History and Correction should be displayed; check the Use tab of the Component Properties dialog box
- E. The Add action should not be available; check the Use tab of the Component Properties dialog box

**ANSWER: D**

**Explanation:**

Reference: [https://docs.oracle.com/cd/E57990\\_01/pt853pbh2/eng/pt/tpst/task\\_WorkingwithSearchPages-027de6.html#topofpage](https://docs.oracle.com/cd/E57990_01/pt853pbh2/eng/pt/tpst/task_WorkingwithSearchPages-027de6.html#topofpage)

**QUESTION NO: 5**

Select three steps that comprise the user interface phase of PeopleSoft application development?

(Choose three.)

- A. Register components
- B. Define fields
- C. Define pages
- D. Define components
- E. Define records
- F. Build records


**ANSWER: A C D**

**Explanation:**

Reference: [https://docs.oracle.com/cd/E41633\\_01/pt853pbh1/eng/pt/tapd/task\\_UsingPeopleSoftApplicationDesigner-0776f2.html](https://docs.oracle.com/cd/E41633_01/pt853pbh1/eng/pt/tapd/task_UsingPeopleSoftApplicationDesigner-0776f2.html)

**QUESTION NO: 6**

This exhibit shows the Structure tab of the component definition.



The following PeopleCode program has been placed on the RowInit event for the Level 2 component record (PSU\_TASK Effort)

```

If PSU_TASK_RSRC.COMPLETED_FLAG = "Y" Then
  Local Record &Rec_TaskEffort = GetRecord();
  For &i = 1 To &Rec_TaskEffort.FieldCount
    &Rec_TaskEffort.GetField(&i).Enabled = False;
  End-For;
End-If;

```

Which three changes are required to move this program to the RowInit event for the Level 1 component record (PSU\_TASK\_RSRC)? (Choose three.)

- A. Add an outer loop to loop through each row in the level 2 rowset
- B. Instantiate the level 2 rowset from the level 1 row
- C. Add on outer loop to loop through each record in the level 2 rowset
- D. Instantiate the level 1 row
- E. For each level 2 row, instantiate a record object
- F. Instantiate a record object for the level 1 row

**ANSWER: B C F**

**QUESTION NO: 7**

The following object-oriented program is inefficient and includes many unnecessary statements.

```
01 Local Record &Rec = GetRecord();
02 Local Field &StartDt, &EndDt;
03
04 &StartDt = &Rec.GetField (Field.START_DATE);
05 &StartDt = &Rec.GetField (Field.END_DATE);
06 If All (&StartDt.Value, &EndDt.Value) And
07     &StartDt.Value > &EndDt.Value Then
08     &StartDt.SetDefault();
09     Error MsgSet(1040, 3, "Message Not Found.", &StartDt.Value, &EndDt.Value)
10 End-If;
```

If you delete lines 2-5, how would you rewrite lines 6-10 to be efficient, compact, and correct?

- A.
- ```
If All (&Rec.GetField (START_DATE.Value), &Rec.GetField(END_DATE.Value)) And
    (&Rec.GetField (START_DATE.Value) > &Rec.GetField(END_DATE.Value) Then
    &Rec.GetField(START_DATE) .SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", &Rec.GetField (START_DATE.Value),
&Rec.GetField(END_DATE.Value));
End-If;
```
- B.
- ```
If All (&Rec.START_DATE.Value), &Rec.END_DATE.Value)) And
    (&Rec.START_DATE.Value) > &Rec.END_DATE.Value) Then
    &Rec.START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", &Rec.START_DATE.Value,
&Rec.END_DATE.Value);
End-If;
```
- C.
- ```
If All (START_DATE.Value, END_DATE.Value) And
    START_DATE.Value) > END_DATE.Value Then
    START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", START_DATE, END_DATE);
End-If;
```
- D.
- ```
If All (START_DATE.Value, END_DATE.Value) And
    START_DATE.Value) > END_DATE.Value Then
    START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", START_DATE.Value, END_DATE.Value);
End-If;
```
- E.
- ```
If All (&START_DATE.Value, &END_DATE.Value) And
    &START_DATE.Value) > END_DATE.Value Then
    &START_DATE.SetDefault();
    Error MsgGet (1040, 3, "Message Not Found.", &START_DATE.Value,
&END_DATE.Value);
End-If;
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

**ANSWER: A**

## QUESTION NO: 8


Which three statements are correct? (Choose three.)

- A. Derived/work fields and variables can be displayed on the page
- B. Derived/work fields and variables provide temporary storage of calculated values
- C. Derived/work fields and record fields provide permanent storage of values
- D. Derived/work fields and record fields can be displayed on the page
- E. Derived/work fields and record fields can include executable PeopleCode programs

**ANSWER: A D E**

## QUESTION NO: 9

You are testing the Course Session Details page. You click the Lookup button for the Instructor field and select a name. When you tab off the field, a message is displayed.



What caused this issue and how do you fix it?

- A. The menu definition associated with this page has the wrong search record; examine the menu definition
- B. The page field definition has the wrong prompt table assigned; examine the page definition
- C. The component definition associated with this page has the wrong search record; examine the component definition
- D. The record field definition has the wrong prompt table assigned; examine the record definition
- E. You selected an incorrect value from the prompt; select a different value

**ANSWER: C**

**QUESTION NO: 10**

Match each valid PeopleCode variable scope in the first column with its corresponding duration in the second column and its description in the third column.

| Scope        | Duration                             | Description                                                              |
|--------------|--------------------------------------|--------------------------------------------------------------------------|
| 1. Local     | A. The current PeopleSoft session.   | a. Transfer values between PeopleCode programs in the current component. |
| 2. Derived   | B. Concurrent PeopleSoft sessions.   | b. Pass parameters between functions.                                    |
| 3. Global    | C. The current PeopleCode program.   | c. Transfer values between components.                                   |
| 4. Component | D. The current PeopleSoft component. | d. Eliminate concern about conflict with same-named variables.           |
| 5. Private   | E. The current method.               | e. Prevent other programs from modifying variables.                      |

A. 1Cd, 3Cc, 5Ee

B. 1Ed, 3Bc, 4Da

C. 1Cd, 3Ac, 4Da

D. 1Cb, 2Ca, 3Aa

E. 1Cd, 3Bc, 5Ee

F. 1Cd, 3Ac, 4Da

**ANSWER: D**