

# DUMPSBOSS.

**IBM Cúram SPM V7.X Application Developer**

**IBM C1000-004**

**Version Demo**

**Total Demo Questions: 10**

**Total Premium Questions: 70**

**Buy Premium PDF**

**<https://dumpsboss.co>**

**[support@dumpsboss.co](mailto:support@dumpsboss.co)**

**support@dumpsboss.co**

**dumpsboss.co**

## QUESTION NO: 1

Which documentation resource provides a list of configurable validation messages?

- A. IBM Cúram Server Developer's Guide.
- B. JavaDoc.
- C. Analysis Documentation.
- D. IBM Cúram Development Compliancy Guide.

ANSWER: A

## QUESTION NO: 2

Consider this warning in the source code editor when EmployerFactory is referenced:

“Discouraged access: The type EmployerFactory is not accessible due to restriction on required library EJBServer/components/core/lib/core.jar.”

Which annotation is EmployerFactory declared with?

- A. @AccessLevel(DEPRECATED)
- B. @AccessLevel(INTERNAL)
- C. @AccessLevel(EXTERNAL)
- D. @AccessLevel(RESTRICTED)

ANSWER: D

## QUESTION NO: 3

Which two of the following are stored in the datamanager\_config.xml file? (Choose two.)

- A. Database table names used by the application.
- B. Database type and port numbers.
- C. References to folders containing DMX files.
- D. References to SQL scripts to be run on a build.

E. References to CTX files containing code tables to be inserted on a build.

**ANSWER: B D**

**Explanation:**

Reference: [https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&ved=2ahUKEwji4fWqqIbnAhXEzIUKHYeIDIsQFjAFegQIBRAC&url=ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.5.3%2Fen%2Fpdf%2FCuramServerDeveloperGuide.pdf&usg=AOVvaw3ySuCgvFqEPA\\_Tw8NTC6gw](https://www.google.com/url?sa=t&rct=j&q=&esrc=s&source=web&cd=6&ved=2ahUKEwji4fWqqIbnAhXEzIUKHYeIDIsQFjAFegQIBRAC&url=ftp%3A%2F%2Fftp.support.lotus.com%2Fsoftware%2Fsolutions%2Fcuram%2F6.0.5.5.3%2Fen%2Fpdf%2FCuramServerDeveloperGuide.pdf&usg=AOVvaw3ySuCgvFqEPA_Tw8NTC6gw)

**QUESTION NO: 4**

Which two values are valid for the MODE attribute of the MENU element? (Choose two.)

- A. EXPANDABLE
- B. IN\_PAGE\_NAVIGATION
- C. TRUE
- D. FALSE
- E. WIZARD\_PROGRESS\_BAR

**ANSWER: C D**

**QUESTION NO: 5**

Examine this fragment of UIM code:

```
<!--Show an image within the cluster -->
<CLUSTER TITLE="Cluster.Title.Description">
  <IMAGE LABEL="Image.Label.Logo" IMAGE="Curamlogo.jpg"/>
</CLUSTER>
```

Which two statements about the UIM code are true? (Choose two.)

- A. Curamlogo.jpg corresponds to the name of an image file under the WebContent/Images directory.
- B. There can be no other UIM elements declared inside the CLUSTER.

- C. The IMAGE attribute can be specified as part of the CLUSTER element.
- D. The text associated with Image.Label.Logo is used as text for the image.
- E. A build client will fail because the IMAGE element should be declared inside a CONTAINER.

**ANSWER: A C**

## QUESTION NO: 6

The following ACTION\_SET is defined at the page level in a UIM file:

```
<ACTION_SET ALIGNMENT="CENTER">  
  <ACTION_CONTROL IMAGE="SaveButton" LABEL="ActionControl.Label.Save"  
    Type="SUBMIT">  
  </ACTION_CONTROL>  
  <SEPARATOR/>  
  <ACTION_CONTROL IMAGE="CancelButton" LABEL="ActionControl.Label.Edit">  
  </ACTION_CONTROL>  
</ACTION_SET>
```


What is the output from this UIM fragment?

- A. A page drop-down menu that contains two menu items and one separator.
- B. Two buttons that display beside each other next to the page title.
- C. Two button that display beside each other below the page title bar.
- D. A page drop-down menu that contains two menu items and no separate.

**ANSWER: B**

## QUESTION NO: 7

Consider the entity and struct shown in the model:



What is the correct way to model the input parameter for a façade operation that calls readyByAttribute?

- A. Type=SampleEntity1, Shadow Type=Key
- B. Type=SampleStruct1, Shadow Type=unspecified
- C. Type=SampleStruct1, Shadow Type=Key
- D. Type=SampleEntity1, Shadow Type=unspecified

**ANSWER: A**

**QUESTION NO: 8**

How is the menu option button in this image created?



- A. A PAGE-level ACTION\_SET with more than 2 ACTION\_CONTROLS is added.
- B. A PAGE-level ACTION\_SET with 1 ACTION\_CONTROL containing a LINK element is added.
- C. A LIST-level ACTION\_SET with 1 ACTION\_CONTROL containing a LINK element is added.
- D. A LIST-level ACTION\_SET with more than 2 ACTION\_CONTROLS is added.

**ANSWER: C**

## QUESTION NO: 9

Which two statements about EVX events are true? (Choose two.)

- A. Developers can define custom listeners for out-of-the-box events.
- B. EVX files map events to listeners.
- C. Event handlers and event raisers execute in separate transactions.
- D. Event filters handlers can be defined in the same class.
- E. EVX events implement the Strategy pattern.

**ANSWER: D E**

### Explanation:

Reference: [https://www.ibm.com/support/knowledgecenter/en/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r\\_SERDEV\\_Handlers1EventHandlerRegistration1.html](https://www.ibm.com/support/knowledgecenter/en/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r_SERDEV_Handlers1EventHandlerRegistration1.html)

## QUESTION NO: 10

Which two statements about port-processing informational messages are true? (Choose two.)

- A. The INFORMATIONAL element is used to display the messages.
- B. failOperation() is called to return the messages.
- C. Messages can be logged using the setLoggable method.
- D. Messages are added with type InformationalElement.InformationType.kError.
- E. Informational messages must be converted to a list of structs before they are returned to the client.

**ANSWER: A B**

### Explanation:

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.0/com.ibm.curam.content.doc/WebClientReference/r\\_WEBCREF\\_Reference1Informational1.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.0/com.ibm.curam.content.doc/WebClientReference/r_WEBCREF_Reference1Informational1.html)