

DUMPSBOSS.

HCS - Microwave Hardware Installation (written)

Huawei H35-911

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

What are the types installation of direct Mounting Mode Single-Polarized Antenna?

- A. Separate mounting
- B. Direct mounting
- C. Triple mounting

ANSWER: A B

QUESTION NO: 2

After an antenna was hoisted to the tower, the lifting rope can be lefle antenna.

- A. True
- B. False

ANSWER: A

QUESTION NO: 3

What is the height of RTN 950 IDU? (IU=44.45mm)

- A. 1U
- B. 2U
- C. 4U
- D. 3U

ANSWER: C

QUESTION NO: 4

Which of the following are functions of a tool pouch used when climbing up a tower?

- A. Carry food
- B. Free up hands
- C. Carry more things
- D. Prevent tools from falling

ANSWER: A C

QUESTION NO: 5

Indoor Unit (IDU) in split microwave consist of 2 different unit which are Indoor service board unit and Indoor IF signal processing unit.

- A. True
- B. False

ANSWER: A

QUESTION NO: 6

Which of the following frequency bands are commonly used for digital microwave transmission?

- A. 2GHz
- B. 18GHz
- C. 15GHz
- D. 11GHz
- E. 7GHz

ANSWER: C D

QUESTION NO: 7

After an antenna was hoisted to the tower, the lifting rope can be left it on the tower.

- A. True
- B. False

ANSWER: A

QUESTION NO: 8

Which of the following are the specific rules for equipment layout?

- A. Ensure easy equipment maintenance.
- B. Lay out equipment in the inside-out sequence.
- C. Efficiently utilize equipment room space.
- D. Reserve appropriate distances between equipment.

ANSWER: A C

QUESTION NO: 9

In general, optical fiber transmission delivers lower capacity than microwave transmission.

- A. True
- B. False

ANSWER: B

QUESTION NO: 10

What is the radius that the IF cables can be bent within around during the installation location of the grounding clip?

- A. 1m
- B. 0.5m
- C. 3.5m
- D. 3m

ANSWER: B C