

DUMPSBOSS.

HCDA - OWS Developer

Huawei H35-920

Version Demo

Total Demo Questions: 15

Total Premium Questions: 250

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Which translator can be used to obtain the current user?

- A. currentUser ()
- B. currentTime ()
- C. userGroupDisplayTranslator ()
- D. utc2local ()

ANSWER: A

QUESTION NO: 2

Which of the following statements are correct about page? (Multiple Choice)

- A. You can use the Visual Script to configure the bar chart and other charts to display and drill down the data. Then, you can configure the monitoring page reference the Visual Script.
- B. There are two types of pages which are Web page and mobile page. They are configured with different components.
- C. Apps that contain mobile pages can be used only after being released to the mobile phone. During the configuration, you can preview the App to verify it.
- D. The page must be bound to the model to complete the configuration.

ANSWER: A B C

QUESTION NO: 3

What is the difference between Reference and Dependence?

- A. Different deletion policy.
- B. Reference can be the primary key. Dependence cannot be the primary key.
- C. Dependence can be the primary key. Reference cannot be the primary key.
- D. There is no difference.

ANSWER: A

QUESTION NO: 4

Regarding on workflow rules, which of the following events are related to the process phase? (Multiple Choice)

- A. Ticket Completed
- B. Task Completed
- C. Ticket Canceled
- D. Task Started

ANSWER: B D

QUESTION NO: 5

Which of the following statements are incorrect? (Multiple Choice)

- A. Rules can be triggered only when model data is created, updated, or deleted.
- B. Rules are executed synchronously.
- C. A rule can have multiple activities.
- D. The rule that causes an infinite loop cannot be configured.

ANSWER: A C D

QUESTION NO: 6

The Block field component can organize the content and the default value is hidden.

- A. TRUE
- B. FALSE

ANSWER: A

QUESTION NO: 7

Which of the following components can implement text input? (Multiple Choice)

- A. Text Area
- B. Rich Text Area
- C. Text Display Field
- D. Text Input

ANSWER: A B D

QUESTION NO: 8

When configuring the Text Input component of the workflow form, if you want to describe the component, which of the following properties need to be configured? (Multiple Choice)

- A. Required
- B. Value Field
- C. Tooltip
- D. Placeholder

ANSWER: C D

Explanation:

QUESTION NO: 9

Which of the following components can be used to submit the values entered by users?

- A. Form panel
- B. Excel Import panel
- C. System configuration panel
- D. Tree panel

ANSWER: A

QUESTION NO: 10

Which of the following statements is correct about the execution sequences of a validator and translator?

- A. The validator is executed first, followed by the translator.
- B. The translator is executed first, followed by the validator.
- C. The validator is executed synchronously. The translator is executed asynchronously.
- D. Translators and validators are executed asynchronously.

ANSWER: A

QUESTION NO: 11

What are the key technologies of OWS? (Multiple Choice)

- A. SPL
- B. TQL
- C. Metadata
- D. SDL

ANSWER: A B C D

QUESTION NO: 12

Which elements are abstracted from the page structure? (Multiple Choice)

- A. Component
- B. Container
- C. Editor
- D. Preview area

ANSWER: A B

QUESTION NO: 13

Which of the following statements is correct about File?

- A. The property of the File type can store files.
- B. The property of the File type can store only a single file.
- C. The property of the File type can be used as the primary key.

ANSWER: A

QUESTION NO: 14

If the alarm to be queried contains an alarm and the alarm time is later than the current time, which of the following statements is correct about the getList service?

- A. "alarm_name" is "Alarm" and "alarm_time" < "\$current_time".
- B. "alarm_name" contains "Alarm" and "alarm_time" > "\$current_time"
- C. "alarm_name" is "Alarm" and "alarm_time" > "\$current_time".
- D. "alarm_name" contains "Alarm" and "alarm_time" < "\$current_time"

ANSWER: B

QUESTION NO: 15

Which of the following is the main function of the Error Message in development resources?

- A. Query the meaning of the error code or add an error code.
- B. Management log type.
- C. Configure constraints such as attach whitelist.

ANSWER: A

Explanation: