

DUMPSBOSS.

NetApp Certified Data Administrator - ONTAP

Netapp NS0-160

Version Demo

Total Demo Questions: 10

Total Premium Questions: 91

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Which two statements are true when you restore a volume from a Snapshot copy? (Choose two.)

- A. All Snapshot copies that were created after the Snapshot copy was created are lost.
- B. All data that was written to the volume after the Snapshot copy was created is lost.
- C. The volume's SnapMirror relationships need to be re-created.
- D. After the volume is restored, it becomes read-only.

ANSWER: B C

QUESTION NO: 2

An administrator is configuring a third-party software for NDMP. The application is targeting the IP of the data LIF of the SVM called "SVM1." NDMP is configured as the SVM scope. The NDMP service is not enabled for the admin SVM. SVM1 has a user called "Tom" with the backup role. Tom can connect by using SSH to the controller with the credentials that he used to configure the third-party software. The authentication of the third-party software is falling.

In this scenario, what is the reason for the authentication failure?

- A. The NDMP password has not been generated for Tom.
- B. The application is not targeting the IP of the cluster or node management LIF.
- C. The NDMP service is not enabled for the admin SVM.
- D. The user Tom does not belong to the admin SVM.

ANSWER: C

QUESTION NO: 3

Click the Exhibit button.

server	Interface	Admin/Oper	Address/Mask	Node	Port	Home	Role
CDOT93	CDOT93-01_mgmt1	up/up	192.168.134.162/24	CDOT93-01	e0d	true	node-mgmt
	CDOT93-02_mgmt1	up/up	192.168.134.163/24	CDOT93-02	e0d	true	node-mgmt
	cluster_mgmt	up/up	192.168.134.161/24	CDOT93-01	e0d	true	cluster-mgmt
Cluster	CDOT93-01_clus1	up/up	169.254.246.126/16	CDOT93-01	e0a	true	cluster
	CDOT93-01_clus2	up/up	169.254.246.136/16	CDOT93-01	e0b	true	cluster
	CDOT93-02_clus1	up/up	169.254.69.154/16	CDOT93-02	e0a	true	cluster
	CDOT93-02_clus2	up/up	169.254.69.164/16	CDOT93-02	e0b	true	cluster
InterCluster	CDOT93-01_ic1	up/up	192.168.134.200/24	CDOT93-01	e0e	true	intercluster
	CDOT93-02_ic1	up/up	192.168.134.201/24	CDOT93-02	e0e	true	intercluster
SVM	CDOT93-01	up/up	192.168.134.100/24	CDOT93-01	e0f	true	data
	CDOT93-02	up/up	192.168.134.201/24	CDOT93-02	e0f	true	data

An administrator needs to configure ports for peering. Referring to the exhibit, which ports should be used?

- A. CDOT93-01:e0a and CDOT93-02:e0a
- B. CDOT93-01:e0e and CDOT93-02:e0e
- C. CDOT93-01:e0d and CDOT93-02:e0d
- D. CDOT93-01:e0f and CDOT93-02:e0f

ANSWER: D

QUESTION NO: 4

In which version of ONTAP did the NVMe protocol become available for SAN environments?

- A. 9.4
- B. 9.5
- C. 9.3
- D. 9.2

ANSWER: A

Explanation:

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2495115

QUESTION NO: 5

What are three tiering policies that are associated with a FabricPool-enabled aggregate? (Choose three.)

- A. backup

- B. mirror-vault
- C. local-only
- D. auto
- E. snapshot-only

ANSWER: A D E

Explanation:

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.dot-cm-psmg%2FGUID-149A3242-B120-49CB-B712BDDDED53ED25D.html>

QUESTION NO: 6

Which ONTAP feature uses the Service Processor to speed up takeover times between HA pairs?

- A. hardware-assisted takeover
- B. automatic takeover and giveback
- C. epsilon
- D. cluster HA

ANSWER: A

Explanation:

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2492713 (26)

QUESTION NO: 7

You are running a FAS8200 system with ONTAP 9.5 with a Flash Pool aggregate. You have an SVM root volume and two volumes (Vol1 and Vol2).

In this scenario, which two caching technologies would be applied to which volumes? (Choose two.)

- A. Flash Pool can be applied to all volumes including the SVM root volume.
- B. FlashCache can be applied to all volumes including the SVM root volume.
- C. Flash Pool can be applied to all volumes except the SVM root volume.
- D. FlashCache can be applied to all volumes except the SVM root volume.

ANSWER: A B

QUESTION NO: 8

To which three objects on an ONTAP 9.3 cluster would you assign a QoS throughput floor? (Choose three.)

- A. a volume on FAS
- B. a LUN on AFF
- C. a volume on AFF
- D. an SVM on AFF
- E. a file on AFF

ANSWER: B C E

Explanation:

Reference: <https://docs.netapp.com/ontap-9/index.jsp?topic=%2Fcom.netapp.doc.pow-perf-mon%2FGUID-77DF9BAF-4ED7-43F6-AECE95DFB0680D2F.html>

QUESTION NO: 9

Click the Exhibit button.

IPspace	Vserver List	Broadcast Domains
Cluster	Cluster	Cluster
Default	svm1, svm2, cluster1	Default
IPspace1	SVM1A, SVM2A,	IPspace1
IPspace2	SVM2A, SVM2B,	IPspace2

You execute the cluster1::> network ipspace show command, and notice that two IPspaces are not able to be renamed or deleted. Referring to the exhibit, what are these two IPspaces? (Choose two.)

- A. IPspace1
- B. Default
- C. IPspace2
- D. Cluster

ANSWER: B D

QUESTION NO: 10

You have configured SVM Disaster Recovery on your cluster, and you set the identity-preserve option to false. In this scenario, which objects are replicated?

- A. SAN LIFs
- B. NFS Export policies
- C. DNS and DNS hosts
- D. Snapshot copies

ANSWER: D

Explanation:

Reference: https://library.netapp.com/ecm/ecm_download_file/ECMLP2496254