

DUMPSBOSS.

NetApp Certified Storage Installation Engineer - ONTAP

Netapp NS0-182

Version Demo

Total Demo Questions: 10

Total Premium Questions: 167

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Upon finishing the installation of a new system for a customer, they request that you train them on how to administer the system.

In this scenario, which two responses are appropriate? (Choose two.)

- A.** Visit the NetApp MySupport Site and look for the Express Guides, they will guide you through the daily tasks and provide input and output examples.
- B.** If you have a specific issue, you can visit the Knowledge Base Web site (<https://kb.netapp.com>).
- C.** The answers to any of your questions can be found on the NetApp SmartSolve site (<http://smartsolve.netapp.com>).
- D.** You should open a case with NetApp Support for all future questions with low priority and include the keyword "Training" in the title.

ANSWER: A C

QUESTION NO: 2

You were dispatched to add a DS224C to an existing HA pair that has a stack of DS4243 shelves with 1 TB drives and a stack of DS4246 shelves with 1 TB drives. The customer wants to make sure that ACP is cabled for all shelves.

Which two considerations should you advise the customer in this situation? (Choose two.)

- A.** ACP communication uses SAS cables and does not require Ethernet cables for IOM12 and IOM6 modules.
- B.** ACP communication cannot be used for the DS224C and the DS4243 shelves at the same time.
- C.** Out-of-band ACP communication is use by default in ONTAP 9.0 and later software.
- D.** The ACP communication has been discontinued beginning with ONTAP 9.5, IOM6, and IOM12 modules.

ANSWER: A C

QUESTION NO: 3

You are planning the deployment of a new 8-node ONTAP 9.5 cluster. To prepare for the installation, you want to create a custom configuration worksheet with all the information that the customer provided. You also want to use the worksheet to generate CLI commands for your installation.

In this scenario, which NetApp tool will help you achieve your goal?

- A. Fusion
- B. ConfigBulider
- C. Config Advisor
- D. Config Validator

ANSWER: C

QUESTION NO: 4

You are preparing for an installation of a 2-node switches cluster ONTAP 9.5 prior to leaving for the customer's site, you verify that the correct items were ordered to complete the install.

In this scenario, what should be verified?

- A. The Service Event Report
- B. The unified Parser output
- C. The sales order
- D. The Configure Advisor output

ANSWER: C

QUESTION NO: 5

You are performing an automated upgrade of a 2-node cluster. Node-01 upgrades successfully. But during the node-02 upgrade, there is a power outage at the site. When power is restored and the nodes are booted, you receive this message: Warning: The Cluster is in a mixed version state. Update all of the nodes to the same version as soon as possible.

In this scenario, which command provides information that will help you understand the problem?

- A. system node upgrade show-task-status
- B. system node image package show
- C. system node upgrade-revert show
- D. system node image show

ANSWER: B

Explanation:

References:

QUESTION NO: 6

You have set up a new 2-node switchless cluster and want to verify that the failover is configured correctly.

In this scenario, which two commands accomplish this task? (Choose two.)

- A. cluster ha show
- B. storage failover show
- C. cluster ring show
- D. storage failover show-takeover

ANSWER: A B

QUESTION NO: 7

Which two default broadcast domains does the system create during cluster initialization? (Choose two.)

- A. Default
- B. Cluster
- C. Management
- D. Node

ANSWER: A B

QUESTION NO: 8

You have created an aggregate with one RAID group on your ONTAP 9 cluster. Two disks have already failed and have not finished reconstructing.

What would protect you from a third disk failure while you are still reconstructing the two failed disks?

- A. RAID-0
- B. RAID-4

- C. RAID-TEC
- D. RAID-DP

ANSWER: C

QUESTION NO: 9

You are adding two new nodes to an existing switchless 2-node cluster. In this scenario, which two statements are true? (Choose two.)

- A. You must make sure that the existing nodes are healthy and that all cluster links are up.
- B. You need to schedule downtime to add these two nodes.
- C. The existing cluster must use clustered Data ONTAP 8.1 or later software.
- D. You first need to install the cluster interconnect switches to the existing cluster.

ANSWER: A D

QUESTION NO: 10

You are creating an aggregate on a new FAS8200 with two DS224C shelves. Your customer wants to be able to use the Disk Maintenance Center.

In this scenario, what is the minimum number of spare disks required per node and disk type?

- A. 4
- B. 3
- C. 2
- D. 1

ANSWER: C