

DUMPSBOSS.

Administration of Veritas Backup Exec 20.1

Veritas VCS-325

Version Demo

Total Demo Questions: 10

Total Premium Questions: 81

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Which two conditions contribute to achieve a high deduplication ratio? (Choose two.)

- A. The percentage of data that changes is low.
- B. The same file is backed up from multiple locations.
- C. Client-side and server deduplication are simultaneously enabled.
- D. Compression is enabled in the backup job.
- E. All data being protected is from physical servers.

ANSWER: A B

QUESTION NO: 2

Which activity information is an administrator unable to configure for display in the Audit Logs?

- A. Alerts
- B. Error-Handling Rules
- C. Reports
- D. Logon Accounts

ANSWER: C

Explanation:

Reference: https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53890179-99535599

QUESTION NO: 3

Where should an administrator set the option to make all new jobs automatically choose a particular disk storage as the target device?

- A. change the storage options in Backup Exec Settings
- B. change the storage options in each new job
- C. change the storage options in Job Defaults

D. change the storage options in the properties of the storage

ANSWER: C

QUESTION NO: 4

An administrator is configuring the Amazon S3 cloud-based storage device.

Which two options should the administrator consider to ensure a successful configuration? (Choose two.)

- A. The bucket name should start with lowercase letters.
- B. The bucket should be pre-configured before adding a Cloud storage device.
- C. The bucket which is in use by different Backup Exec servers can be shared.
- D. The bucket can be created in any region the Cloud provider designates.
- E. The user must obtain an Amazon access key ID and a secret access key.

ANSWER: B E

QUESTION NO: 5

Which setting can be configured to enable a disk storage device to allow five jobs to run simultaneously?

- A. Auto detect block and buffer size
- B. Concurrent write operations
- C. Auto detect settings
- D. Buffer count

ANSWER: B

QUESTION NO: 6

Which two settings can be configured in the ralus.cfg file of the Agent for Linux? (Choose two.)

- A. the list of files and directories to be excluded from backup jobs
- B. enable client-site replication
- C. the list of Backup Exec servers to publish to

- D. the list of Network Interface Cards (NIC) to use for the backup
- E. the list of accounts which can access the Backup Exec server

ANSWER: A C

QUESTION NO: 7

An administrator's robotic library has gone offline the last three times the same piece of media has been used. Where can the administrator look to determine whether the tape has any soft or hard errors?

- A. on the properties of the media set
- B. on the properties of the tape drive
- C. on the properties of the job history
- D. on the properties of the media

ANSWER: D

QUESTION NO: 8

Which two requirements are necessary when installing and configuring the Central Administration Server Option (CASO)? (Choose two.)

- A. Fully qualified domain names must be used when specifying the Central Admin Server name during the installation of a managed Backup Exec server.
- B. Administrative rights on the computer where the Central Administration Server Option is installed are required.
- C. The Central Administration Server and all other managed Backup Exec servers must have all storage devices that will be used connected and online.
- D. One Enterprise Server Option License is required for each Backup Exec media server connected in a Central Administration Server Option environment.
- E. The Central Admin Server and all other managed Backup Exec servers must be part of a domain or domains.

ANSWER: B E

QUESTION NO: 9

Which two types of media can be given first priority when Backup Exec searches for overwritable media during a backup job? (Choose two.)

- A. media in the local vault
- B. scratch media
- C. recyclable media in any media set
- D. imported media
- E. recyclable media in destination media set

ANSWER: B E

QUESTION NO: 10

An administrator has restored the System State which has created a temporary directory named F52E2DD5-CE7D-4e54-8766-EE08A709C28E, and wants to delete the directory.

Where can the administrator find the temporary directory?

- A. %SYSVOL%
- B. C:\temp\
- C. C:\Windows\System32\
- D. %SystemRoot%\

ANSWER: D

Explanation:

Reference: https://www.veritas.com/content/support/en_US/doc/59226269-99535599-0/v53900731-99535599