

# DUMPSBOSS.

## Security-Specialist (JNCIS-SEC)

Juniper JN0-334

Version Demo

Total Demo Questions: 10

Total Premium Questions: 91

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

Which two statements describe JSA? (Choose two.)

- A. Security Director must be used to view third-party events from JSA flow collectors.
- B. JSA supports events and flows from Junos devices, including third-party devices.
- C. JSA events must be manually imported into Security Directory using an SSH connection.
- D. JSA can be used as a log node with Security Director or as a standalone solution.

**ANSWER: B D**

## QUESTION NO: 2

Which statement is true about JATP incidents?

- A. Incidents have an associated threat number assigned to them.
- B. Incidents are sorted by category, followed by severity.
- C. Incidents consist of all the events associated with a single threat.
- D. Incidents are always automatically mitigated.

**ANSWER: C**

## QUESTION NO: 3

Which feature is used when you want to permit traffic on an SRX Series device only at specific times?

- A. scheduler
- B. pass-through authentication
- C. ALGs
- D. counters

**ANSWER: A**

## QUESTION NO: 4

You are configuring a client-protection SSL proxy profile.

Which statement is correct in this scenario?

- A. A server certificate is not used but a root certificate authority is used.
- B. A server certificate and root certificate authority are not used.
- C. A server certificate is used but a root certificate authority is not used.
- D. A server certificate and a root certificate authority are both used.

ANSWER: D

## QUESTION NO: 5

Which statement describes the AppTrack module in AppSecure?

- A. The AppTrack module provides enforcement with the ability to block traffic, based on specific applications.
- B. The AppTrack module provides control by the routing of traffic, based on the application.
- C. The AppTrack module identifies the applications that are present in network traffic.
- D. The AppTrack module provides visibility and volumetric reporting of application usage on the network.

ANSWER: C

## QUESTION NO: 6

Which two solutions provide a sandboxing feature for finding zero-day malware threats? (Choose two.)

- A. Sky ATP
- B. UTM
- C. JATP
- D. IPS

ANSWER: A C

## QUESTION NO: 7

Which two session parameters would be used to manage space on the session table? (Choose two.)

- A. low watermark
- B. high watermark
- C. TCP MSS
- D. TCP RST

**ANSWER: A B**

**Explanation:**

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-flow-based-session-for-srx-series-devices.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-flow-based-session-for-srx-series-devices.html)

## QUESTION NO: 8

You must deploy AppSecure in your network to block risky applications.

In this scenario, which two AppSecure features are required? (Choose two.)

- A. AppFW
- B. AppID
- C. APBR
- D. AppTrack

**ANSWER: B D**

## QUESTION NO: 9

Which two statements apply to policy scheduling? (Choose two.)

- A. A policy refers to many schedules.
- B. A policy refers to one schedule.
- C. Multiple policies can refer to the same schedule.
- D. A policy stays active regardless of when the schedule is active.

**ANSWER: B C**

**Explanation:**

Reference: [https://www.juniper.net/documentation/en\\_US/cso5.4.0/topics/concept/cp-about-schedule-overview.html](https://www.juniper.net/documentation/en_US/cso5.4.0/topics/concept/cp-about-schedule-overview.html)

## QUESTION NO: 10

You want to support reth LAG interfaces on a chassis cluster.

What must be enabled on the interconnecting switch to accomplish this task?

- A. RSTP
- B. 802.3ad
- C. LLDP
- D. swfab

## ANSWER: B

### Explanation:

Reference: [https://www.juniper.net/documentation/en\\_US/junos/topics/topic-map/security-chassis-cluster-redundant-ethernet-lag-interfaces.html](https://www.juniper.net/documentation/en_US/junos/topics/topic-map/security-chassis-cluster-redundant-ethernet-lag-interfaces.html)