

DUMPSBOSS.

Professional VMware vRealize Automation 7.6

VMware 2V0-31.19

Version Demo

Total Demo Questions: 10

Total Premium Questions: 76

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

An IaaS Administrator is trying to add a new vCenter endpoint. When the administrator clicks "Test Connection", the attempt fails with the following error:

```
"The specified user name and password combination is
invalid for the endpoint at the specified address."
```

What is the possible cause for this error?

- A. The service account password is using invalid special characters.
- B. The IaaS administrator entered an incorrect vCenter fully qualified domain name (FQDN) in the vCenter address.
- C. The service account for the vCenter endpoint has not been assigned a role in vCenter.
- D. The service account was entered in user principal name (UPN) format.

ANSWER: A

QUESTION NO: 2

Which three vRealize Automation content types are supported by content lifecycle management in vRealize Suite Lifecycle Manager? (Choose three.)

- A. Resource actions
- B. Endpoints
- C. Reservations
- D. Composite blueprints
- E. Entitlements
- F. Property definitions

ANSWER: A D F

Explanation:

: <https://docs.vmware.com/en/VMware-vRealize-Suite-LifecycleManager/8.0/com.vmware.vrsuite.lcm.80.doc/GUID-502722AA-4348-4CA8-89CDBC100003AE64.html>

QUESTION NO: 3

A vRealize Orchestrator administrator is tasked with creating a workflow that processes sensitive information that is subject to auditing. All workflow messages must be stored in the vRealize Orchestrator database.

How can the administrator ensure that all log messages generated by the workflow are stored in the database?

- A. Configure a DEBUG level for the vRealize Orchestrator server.
- B. Use System.log() when printing out messages.
- C. Configure SQL plugin to write to the database directly.
- D. Use Server.log() when printing out messages.

ANSWER: D

Explanation:

: <https://www.viktorious.nl/2015/05/04/vrealize-orchestrator-log-messageconsiderations/>

QUESTION NO: 4

An administrator needs to configure a blueprint to provision OVF machines from an external HTTP server where the OVF resides.

Which two steps should the administrator take to provision the OVF machines? (Choose two.)

- A. Configure the provisioning workflow settings as ImportOvfWorkflow.
- B. Specify customization specification.
- C. Specify the URL location of the OVF file present.
- D. Run data collection.
- E. Run the OVF directly from vCenter.

ANSWER: A C

Explanation:

: [https://docs.vmware.com/en/vRealize-](https://docs.vmware.com/en/vRealize-Automation/7.4/com.vmware.vra.prepare.use.doc/GUID-912750A7-7758-44EA-9ADCACD9A947BE67.html)

[Automation/7.4/com.vmware.vra.prepare.use.doc/GUID-912750A7-7758-44EA-9ADCACD9A947BE67.html](https://docs.vmware.com/en/vRealize-Automation/7.4/com.vmware.vra.prepare.use.doc/GUID-912750A7-7758-44EA-9ADCACD9A947BE67.html)

QUESTION NO: 5

Which two tasks can be accomplished using vRealize Suite Lifecycle Manager? (Choose two.)

- A. Change the vRealize Automation tenant administrator password.
- B. Create additional vRealize Automation tenants.
- C. Remediate configuration drift in vRealize Automation.
- D. Change the vRealize Automation appliance root password.
- E. Change the vRealize Automation IaaS administrator password.

ANSWER: C D

QUESTION NO: 6

Which role is required to configure the Health Service to run system tests for vRealize Automation?

- A. IaaS Administrator
- B. Tenant Administrator
- C. Fabric Administrator
- D. Health Consumer

ANSWER: A

QUESTION NO: 7

A vRealize Automation administrator wants to be able to reconfigure the CPU resources of a managed virtual machine that is deployed by a user in a business group. The administrator is not a member of this business group.

What is the minimum role required for the administrator to be able to reconfigure the virtual machine without changing its ownership or business group?

- A. Manager role
- B. Support role
- C. Shared access role
- D. User role

ANSWER: A

QUESTION NO: 8

A vRealize Automation IaaS administrator needs to create an association between vSphere and NSX endpoints.

What are two possible associations that can be created? (Choose two.)

- A. Multiple NSX-T endpoints associated with multiple vSphere endpoints
- B. One vSphere endpoint associated with a single NSX for vSphere endpoint
- C. One vSphere endpoint associated with multiple NSX-T endpoints
- D. One NSX for vSphere endpoint associated with multiple vSphere endpoints
- E. One vSphere endpoint associated with both an NSX-T and NSX vSphere edge router endpoints simultaneously

ANSWER: B C

Explanation:

: [https://docs.vmware.com/en/vRealize-](https://docs.vmware.com/en/vRealize-Automation/7.6/com.vmware.vra.prepare.use.doc/GUID-3051E04E-C809-4E29-A3BF51053BB2D7BC.html)

[Automation/7.6/com.vmware.vra.prepare.use.doc/GUID-3051E04E-C809-4E29-A3BF51053BB2D7BC.html](https://docs.vmware.com/en/vRealize-Automation/7.6/com.vmware.vra.prepare.use.doc/GUID-3051E04E-C809-4E29-A3BF51053BB2D7BC.html)

QUESTION NO: 9

When using the Generate Form option, what are two items for which custom form tabs are automatically created? (Choose two.)

- A. Each network component defined on a blueprint
- B. Each disk that is associated with each virtual machine that is already defined in the blueprint
- C. Each custom property defined on a blueprint
- D. Each custom property group defined on a blueprint
- E. Each virtual machine component defined on a blueprint

ANSWER: A E

QUESTION NO: 10

A Cloud Engineer is requesting a blueprint named “RHEL-7.3” and receives the following error message during machine provisioning:

```
The following component requests failed: RHEL7.3 Request failed: linux-vm-10:  
sendEBSMessage19(workflow=0030ef26-3428-43bd-a69a-2f0a5414148e) Error in state  
VMPSMasterWorkflow32.MachineProvisioned phase PRE event (queue = 94494dad-2963-4c90-  
ae9a-8afb6c1905c7) : Extensibility consumer error (20999) - Error while executing  
(Workflow: Get processes from guest / Scriptable task (item1) #8) A general system error  
occurred: vix error codes = (3016, 0).
```

- A. What is a possible reason for this error?
- B. VMware-tool are not running.
- C. The guest agent is not running.
- D. The management agent is not installed.
- E. The guest agent is not installed

ANSWER: A