

DUMPSBOSS.

Fortinet NSE 4 - FortiOS 6.2

Fortinet NSE4 FGT-6.2

Version Demo

Total Demo Questions: 10

Total Premium Questions: 119

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Refer to the exhibit.

Field	Value
Version	V3
Serial Number	98765432
Signature algorithm	SHA256RSA
Issuer	cn=RootCA,o=BridgeAuthority, Inc., c=US
Valid from	Tuesday, October 3, 2016 4:33:37 PM
Valid to	Wednesday, October 2, 2019 5:03:37 PM
Subject	cn=John Doe, o=ABC, Inc., c=US
Public key	RSA (2048 bits)
Key Usage	keyCertSign
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1), Client Authentication (1.3.6.1.5.5.7.3.2)
Basic Constraints	CA=True, Path Constraint=None
CRL Distribution Points	URL=http://webserver.abcinc.com/arlcert.crl

According to the certificate values shown in the exhibit, which type of entity was the certificate issued to?

- A. A user
- B. A root CA
- C. A bridge CA
- D. A subordinate

ANSWER: A

QUESTION NO: 2

Refer to the exhibit.

Admission Control

Security Mode

Captive Portal

Authentication Portal

Local External

User Access 

Restricted to Groups

Allow all

The exhibit shows admission control settings.

Which users and user groups are allowed access to the network through captive portal?

- A. Groups defined in the captive portal configuration
- B. Only individual users – not groups – defined in the captive portal configuration
- C. All users
- D. Users and groups defined in the firewall policy

ANSWER: D

QUESTION NO: 3

Why does FortiGate keep TCP sessions in the session table for several seconds, even after both sides (client and server) have terminated the session?

- A. To generate logs
- B. To remove the NAT operation
- C. To finish any inspection operations
- D. To allow for out-of-order packets that could arrive after the FIN/ACK packets

ANSWER: D

QUESTION NO: 4

Refer to the exhibit.

Edit IPS Sensor

Name [\[View IPS Signatures\]](#)

Comments 0/255

Block malicious URLs

IPS Signatures

[+ Add Signatures](#) [Delete](#) [Edit IP Exemptions](#)

Name	Exempt IPs	Severity	Target	Service	OS	Action	Packet Logging
NTP.Spoofed.KoD.DoS	0	<div style="width: 100%; height: 10px; background-color: red;"></div>	Server, Client	UDP	Linux	Monitor	

IPS Filters

[+ Add Filter](#) [Edit Filter](#) [Delete](#)

Filter Details	Action	Packet Logging
Location: server OS: Windows	Block	

The exhibit shows the IPS sensor configuration.


If traffic matches this IPS sensor, which two actions is the sensor expected to take? (Choose two.)

- A. The sensor will allow attackers matching the NTP.Spoofed.KoD.DoS signature.
- B. The sensor will block all attacks aimed at Windows servers.
- C. The sensor will reset all connections that match these signatures.
- D. The sensor will gather a packet log for all matched traffic.

ANSWER: A B

QUESTION NO: 5

Refer to the exhibit.



Given the network diagram shown in the exhibit, which route is the best candidate route for FGT1 to route traffic from the workstation to the webserver?

- A. 172.16.32.0/24 is directly connected, port1
- B. 172.16.0.0/16 [50/0] via 10.4.200.2, port2 [5/0]
- C. 10.4.200.0/30 is directly connected, port2
- D. 0.0.0.0/0 [20/0] via 10.4.200.2, port2

ANSWER: A

QUESTION NO: 6

Which two statements describe WMI polling mode for the FSSO collector agent? (Choose two.)

- A. WMI polling can increase bandwidth usage in large networks.
- B. The NetSessionEnum function is used to track user logoffs.
- C. The collector agent does not need to search any security event logs.
- D. The collector agent uses a Windows API to query DCs for user logins.

ANSWER: C D

QUESTION NO: 7

Which two SD-WAN load balancing methods use interface weight value to distribute traffic?

- A. Spillover
- B. Volume

C. Source IP

D. Sessions

ANSWER: B D

Explanation:

Reference: <https://docs.fortinet.com/document/fortigate/6.0.0/handbook/49719/configuring-sd-wan-load-balancing>

QUESTION NO: 8

Which two statements are true when using WPAD with the DHCP discovery method? (Choose two.)

- A. If the DHCP method fails, browsers will try the DNS method.
- B. The browser sends a DHCPINFORM request to the DHCP server.
- C. The DHCP server provides the PAC file for download.
- D. The browser needs to be preconfigured with the DHCP server IP address.

ANSWER: A B

QUESTION NO: 9

Which two statements about virtual domains (VDOMs) are true? (Choose two.)

- A. A FortiGate device has 64 VDOMs, created by default.
- B. The root VDOM is the management VDOM, by default.
- C. Each VDOM maintains its own system time.
- D. Each VDOM maintains its own routing table.

ANSWER: B D

QUESTION NO: 10

A company needs to provide SSL VPN access to two user groups. The company also needs to display a different welcome message for each group, on the SSL VPN login.

To meet these requirements, what is required in the SSL VPN configuration?

- A. Different virtual SSL VPN IP addresses for each group

- B. Two separate SSL VPNs in different interfaces mapping the same ssl.root
- C. Two firewall policies with different captive portals
- D. Different SSL VPN realms for each group

ANSWER: D