

DUMPSBOSS.

MikroTik Certified Network Associate Exam

MikroTik MTCNA

Version Demo

Total Demo Questions: 15

Total Premium Questions: 216

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Action=redirect applies to

- A. Firewall Filter rules
- B. DST-NAT rules
- C. Route rules
- D. SRC-NAT rules

ANSWER: B

QUESTION NO: 2

Which of the following is the valid host range for the subnet on which the IP address

192.168.168.188 255.255.255.192 resides?

- A. 192.168.168.129-190
- B. 192.168.168.129-191
- C. 192.168.168.128-190
- D. 192.168.168.128-192

ANSWER: A

QUESTION NO: 3

Which one of the following is true regarding VLANs?

- A. Two VLANs are configured by default on all Cisco switches.
- B. VLANs only work if you have a complete Cisco switched internetwork. No off-brand switches are allowed.
- C. You should not have more than 10 switches in the same VTP domain.
- D. VTP is used to send VLAN information to switches in a configured VTP domain.

ANSWER: D

QUESTION NO: 4

One host on an internal network is accessing an external web page through a MikroTik router that is doing source NAT. Select correct statement about the packets that flow from that web page to the host ?

- A. Packets go through the input chain
- B. Packets go through the forward chain
- C. Packets go through the output chain
- D. Packets go through the input chain before the routing decision and after that through output chain

ANSWER: B

QUESTION NO: 5

Which firewall chain would be used to block a client's MSN traffic on a router?

- A. static
- B. forward
- C. output
- D. input

ANSWER: B

QUESTION NO: 6

Destination NAT (chain dstnat, action dst-nat) can be used to:

- A. Change destination port
- B. Direct users from the Internet to a server within your local network
- C. Change source port
- D. Hide your local network from the Internet

ANSWER: A

QUESTION NO: 7

What configuration is added by /ip Hot-Spot setup command? (select all that apply)

- A. /ip service
- B. /ip Hot-Spot user
- C. /ip Hot-Spot walled-garden
- D. /ip dhcp-server
- E. /queue tree

ANSWER: B D

QUESTION NO: 8

Mark the queue types that are available in RouterOS

- A. SFQ – Stochastic Fairness Queuing
- B. DRR – Deficit Round Robin
- C. FIFO – First In First Out (for Bytes or for Packets)
- D. LIFO – Last In First Out
- E. PCQ – Per Connection Queuing
- F. RED – Random Early Detect (or Drop)

ANSWER: A C E F

QUESTION NO: 9

Which of the following allows a router to respond to an ARP request that is intended for a remote host?

- A. Gateway DP
- B. Reverse ARP (RARP)
- C. Proxy ARP

D. Inverse ARP (IARP)

ANSWER: C

QUESTION NO: 10

Which of the following protocols / port s are used for SNMP. (Simple Network Managemnt

Protocol)

- A. TCP 25
- B. TCP 161
- C. UDP 162
- D. TCP 162
- E. TCP 123
- F. UDP 161

ANSWER: C F

QUESTION NO: 11

Which features are removed when advanced-tools package is uninstalled?

- A. neighbors
- B. LCD support
- C. ip-scan
- D. ping
- E. netwatch
- F. bandwidth-test

ANSWER: C D E

QUESTION NO: 12

Action=redirect is applied in

- A. chain=srcnat
- B. chain=forward
- C. chain=dstnat

ANSWER: C

QUESTION NO: 13

What does the firewall action "Redirect" do? Select all true statements.

- A. Redirects a packet to a specified port on the router
- B. Redirects a packet to a specified IP
- C. Redirects a packet to the router
- D. Redirects a packet to a specified port on a host in the network

ANSWER: B D

QUESTION NO: 14

In which situations can Netinstall NOT be used to install a RouterBOARD?

- A. The router does not have an operating system
- B. The router is connected only to a wireless network
- C. You do not know the password of the router
- D. The router is connected only to a secondary Ethernet port

ANSWER: B D

QUESTION NO: 15

In MikroTik RouterOS, Layer3 communication between 2 hosts can be achieved by using an address subnet of:

- A. /31

B. /29

C. /32

D. /30

ANSWER: B C D