

DUMPSBOSS.

Fortinet NSE 6 - FortiNAC 8.5

Fortinet NSE6 FNC-8.5

Version Demo

Total Demo Questions: 5

Total Premium Questions: 30

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Which three circumstances trigger Layer 2 polling of infrastructure devices? (Choose three.)

- A. A matched security policy
- B. Scheduled poll timings
- C. Linkup and Linkdown traps
- D. Manual polling
- E. A failed Layer 3 poll

ANSWER: B C D

QUESTION NO: 2

In which view would you find who made modifications to a Group?

- A. The Admin Auditing view
- B. The Alarms view
- C. The Event Management view
- D. The Security Events view

ANSWER: A

Explanation:

It's important to audit Group Policy changes in order to determine the details of changes made to Group Policies by delegated users. Reference: <https://www.lepide.com/how-to/audit-chnages-made-to-group-policy-objects.html>

QUESTION NO: 3

Which three communication methods are used by the FortiNAC to gather information from, and control, infrastructure devices? (Choose three.)

- A. SNMP
- B. RADIUS
- C. FTP

- D. CLI
- E. SMTP

ANSWER: A B C

Explanation:

Set up SNMP communication with FortiNAC

RADIUS Server that is used by FortiNAC to communicate

FortiNAC can be configured via CLI to use HTTP or HTTPS for OS updates instead of FTP.

Reference: <https://docs.fortinet.com/document/fortinac/8.3.0/administration-guide/28966/snmp>
<https://docs.fortinet.com/document/fortinac/8.8.0/administration-guide/938271/configure-radius-settings>

https://fortinetweb.s3.amazonaws.com/docs.fortinet.com/v2/attachments/e7ebdaa-cabf-11ea-8b7d-00505692583a/FortiNAC_Deployment_Guide.pdf

QUESTION NO: 4

What agent is required in order to detect an added USB drive?

- A. Mobile
- B. Passive
- C. Dissolvable
- D. Persistent

ANSWER: D

Explanation:

Expand the Persistent Agent folder. Select USB Detection from the tree.

Reference: <https://docs.fortinet.com/document/fortinac/8.5.2/administration-guide/814147/usb-detection>

QUESTION NO: 5

Which command line shell and scripting language does FortiNAC use for WinRM?

- A. Powershell
- B. Bash
- C. Linux

D. DOS

ANSWER: A

Explanation:

Open Windows PowerShell or a command prompt. Run the following command to determine if you already have WinRM over HTTPS configured.

Reference: <https://docs.fortinet.com/document/fortinac/8.7.0/administration-guide/246310/winrm-device-profile-requirements-and-setup>