

DUMPSBOSS.

Oracle Autonomous Database Cloud 2020 Specialist

Oracle 1z0-931-20

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Which statement is correct about managing and monitoring of Autonomous Database? (Choose the best answer.)

- A. You can use Service console to enable or disable auto scaling of Autonomous DB.
- B. You can use Service console to manage runaway SQL statements on Autonomous DB.
- C. You can use Service console to move Autonomous DB between compartments.
- D. You can use Service console to create manual backups of Autonomous database.

ANSWER: D

Explanation:

Reference: <https://docs.oracle.com/en-us/iaas/Content/Database/Tasks/adbackingup.htm>

QUESTION NO: 2

Which two statements are NOT correct about Autonomous Database Maintenance on dedicated Exadata infrastructure? (Choose two.)

- A. Autonomous Exadata Infrastructure maintenance takes place at least once each quarter and is mandatory.
- B. If a scheduled container database maintenance run cannot take place, Oracle will automatically reschedule the container database maintenance for the following quarter.
- C. You can change your container database maintenance window or reschedule a single container database maintenance run to ensure that your container database maintenance runs follow infrastructure maintenance within the same quarter.
- D. Autonomous Exadata Infrastructure maintenance runs are for infrastructure patching (including patching of the Exadata grid infrastructure code and operating systems updates), and include database patching.

ANSWER: A B

QUESTION NO: 3

During the provisioning of an Autonomous Database on Dedicated hardware, what does the Database Administrator need to select to determine where the Autonomous Database is created on the Dedicated infrastructure? (Choose the best answer.)

- A. the Compartment of the Dedicated infrastructure as each compartment only runs 1 Dedicated environment
- B. the 'High Availability Container Database' in which the Autonomous instance should run
- C. the Client Credentials wallet which is used to connect to the Autonomous Database

- D. the name or OCID of the Exadata infrastructure which was assigned by the Fleet Administrator
- E. the Listener endpoint where the Autonomous Database should register on

ANSWER: A

QUESTION NO: 4

Which two cloud services are supported to import data pump files from using Dedicated Exadata Infrastructure? (Choose two.)

- A. Oracle Cloud Infrastructure Object Storage
- B. Google Cloud Storage
- C. Amazon S3
- D. Azure Blob Storage
- E. Oracle Cloud Infrastructure Object Storage Classic

ANSWER: A E

Explanation:

Reference: <https://docs.oracle.com/en/cloud/paas/atp-cloud/atpud/load-data-using-oracle-data-pump.html#GUID-025C4566-1BDB-4EF2-BFB7-0CBA8C47EA5D>

QUESTION NO: 5

Where can a user's public ssh key be added on the Oracle Cloud Infrastructure Console in order to execute API calls? (Choose the best answer.)

- A. SSH keys are not required in Oracle Cloud Infrastructure.
- B. SSH keys cannot be added from console. They have to be added using REST APIs only.
- C. On the Autonomous Database Console.
- D. Navigate to Identity, select Users panel on the console and select "Add Public Key".

ANSWER: D

QUESTION NO: 6

You are the admin of an Autonomous Database (ADB) instance, and a new developer has requested a new workspace in APEX. What statement describes the step to provide the developer a new workspace in APEX? (Choose the best answer.)

- A. Create a new developer account.
- B. Access the APEX Administration Services and create the workspace for the developer.
- C. Create a database user with the APEX role.
- D. Create an IDCS user with the APEX role.

ANSWER: B

QUESTION NO: 7

Which two methods can you use to create users and grant roles in Autonomous Database services? (Choose two.)

- A. through SQLPlus
- B. through SQL/Developer
- C. through the Oracle Cloud Infrastructure service console
- D. using DBMS_CLOUD_ADMIN Package

ANSWER: A B

QUESTION NO: 8

While Autonomous Transaction Processing and Autonomous Data Warehouse use the same Oracle database, which statement is true about the workloads? (Choose the best answer.)

- A. Data that is bulk loaded, by default, uses the row format in Autonomous Transaction Processing where Autonomous Data Warehouse data format is columnar.
- B. Autonomous Data Warehouse workloads are optimized for mixed workloads.
- C. Autonomous Transaction Processing memory Usage optimizes workloads for parallel joins and aggregations.
- D. Autonomous Transaction Processing workloads are optimized for data warehouse, data mart, and data lake.

ANSWER: A

QUESTION NO: 9

Which three options are supported when migrating to Autonomous Database (ADB)? (Choose three.)

- A. RMAN Cross-Platform backup and restore
- B. Golden Gate on-premise installation
- C. PDB unplug / plug operation
- D. Datapump export / import
- E. Dataguard Physical Standby
- F. Golden Gate Cloud service

ANSWER: B D F

Explanation:

Reference: https://k21academy.com/1z0-931/migrate-database-to-oracle-autonomous-database-cloud-options-data-pump-sql-loader-dbms_cloud-goldengate/

QUESTION NO: 10

Which two license types does the customer need to benefit from BYOL when leveraging on-premise Enterprise Database licenses in Oracle Autonomous Database? (Choose two.)

- A. Transparent Data Encryption
- B. Exadata
- C. Active Data Guard
- D. RAC, but only when scaling beyond 16 OCPUs
- E. Multitenant

ANSWER: B E

Explanation:

Reference:

<https://www.oracle.com/a/ocom/docs/dc/bringyourownlicenseanduniversal.pdf?elqTrackId=26f964e6f1bf44c0b6a2c12ff99dc a24&elqaid=81058&elqat=2>