

DUMPSBOSS.

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-MCI 5.15)

Nutanix NCP-MCI-5.15

Version Demo

Total Demo Questions: 15

Total Premium Questions: 278

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

Topic Break Down

Topic	No. of Questions
Topic 1, Main Questions	91
Topic 2, Extra Questions	187
Total	278

QUESTION NO: 1

Client needs a backup solution to allow the ability to replicate small data sets to public cloud. The RPO of this tertiary data must be 24 hrs or better.

Which solution should an engineer recommend to the client base on these requirement?

- A. Protection Domain
- B. Cloud Connect
- C. NearSync
- D. XI Cloud service

ANSWER: B

QUESTION NO: 2

An administrator is working with Nutanix Support and needs to provide logs for troubleshooting an issue. The cluster is located in a secure environment. Data such as IP addresses and VM names cannot be shared.

Which two methods can be used to anonymize the log data sent to Nutanix Support? (Choose two.)

- A. On the Health dashboard in Prism, use the Collect Logs option under Actions and choose Anonymize Output
- B. Run the ncc log_collector tool on a CVM, setting the `—anonymize_output` flag to true
- C. Under the User Profile in Prism, select Anonymize Log Output then run Log Collector from the Health dashboard.
- D. Run the ncc log_collector tool on a CVM, setting the `— enhanced log collector` flag to true,

ANSWER: A B

QUESTION NO: 3

An administrator is adding a node with a higher AOS release to an existing cluster.

What is the most efficient action an administrator should take to ensure it is in a supported state?

- A. Destroy cluster and foundation with the new node in place
- B. Add the node to the cluster and leave the existing AOS version in place
- C. Perform standalone reimage of the new node and then add to cluster
- D. Add the node to the cluster and reboot all running VMs to use new release

ANSWER: C

QUESTION NO: 4

Which bond mode is the default mode on an AHV Nutanix cluster?

- A. Link Aggregation
- B. Balanced SLB
- C. Balance TCP
- D. Active – Backup

ANSWER: D

QUESTION NO: 5

An administrator is preparing to migrate VMs from a legacy ESXi cluster to a new AHV cluster.

Which action must be the administrator perform on the AHV cluster to migrate VM data?

- A. Install the Nutanix Virt0 drivers
- B. Whitelist the ESXi cluster IP address
- C. Create placeholder VMs
- D. Install Nutanix Self servicing restore.

ANSWER: B

QUESTION NO: 6

How many IP addresses are required for a new Files cluster deployment?

- A. Two for each FSVM plus one for the cluster
- B. Two for each FSVM plus two for the cluster
- C. One for each FSVM plus one for the cluster
- D. One for each FSVM plus two for the cluster

ANSWER: A

QUESTION NO: 7

An administrator needs to view and compare IOPs for VMs across multiple clusters.

Which two dashboards can the administrator use to find this information? (Choose two)

- A. Planning
- B. Apps
- C. Explore
- D. Analysis
- E. Home

ANSWER: D E

QUESTION NO: 8

An administrator receives an alert email that indicates that a health check has failed.

Which action should the administrator take to collect more information on the failed check?

- A. In the Prism Web Console, select the URL included in the check details
- B. Re-run the check from the CVM CLI using the ncc command
- C. Forward the alert email to Nutanix Support requesting more information
- D. Use the ncli command on the CVM to view the details of the check

ANSWER: B

QUESTION NO: 9

through what interfaces is/are (anti-)affinity rules configured. (Choose three)

- A. affinity :cli
- B. anti-affinity :cli
- C. affinity :prism
- D. anti-affinity :prism

ANSWER: A B C

QUESTION NO: 10

An administrator has just executed a maintenance window for some applications running on their nutanix cluster. After completing the maintenance, they want to assess the health of the cluster and make sure that there is no impact during the maintenance.

Which three dashboards in prism will assist the administrator in making this determination? (Choose Three)

- A. Data Protection
- B. Cluster Health
- C. Tasks
- D. Alerts
- E. Analysis

ANSWER: A B D

QUESTION NO: 11

How will an HDD failure affect VMs with data on the failed device?

- A. The VMs will crash, and will be restarted once the failed HDD has been replaced and the data has been restored.
- B. A live migration will be initiated, moving the affected VMs to a host that contains the replica data.
- C. The VMs will remain operational on that host and continue to function normally with no noticeable impact
- D. An HA event will occur, causing the affected VMs to restart on a node that contains the replica data.

ANSWER: C

QUESTION NO: 12 - (HOTSPOT)

What is the proper sequence to perform a one-click upgrade to a Nutanix cluster?

Item instructions: For each procedure, indicate the order in which that procedure must take place to meet the item requirements. Not all procedures are valid. Identify any invalid procedures using the drop-down option.

Answer Area

Procedure

Select the Gear icon at top right of the page

Step

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Select the component to upgrade

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Once the download completes, select Upgrade

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Log into Prism Central

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Select the User login name at the top right of the page

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

On the left, select Upgrade Prism Central

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

Click Download

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step

On the left under Settings, select Upgrade Software

▼

- Step 1
- Step 2
- Step 3
- Step 4
- Step 5
- Step 6
- Invalid Step



ANSWER:

QUESTION NO: 13

An administrator has an existing Nutanix cluster that is configured to protect VMs using Time Stream. The administrator now needs to add support for protecting these VMs in AWs.

Which two changes must be made to the cluster to meet this requirement? (Choose two)

- A. Configure protection domains with a 15-minute schedule.
- B. Add the remote site to the existing protection domains.
- C. Configure a remote site.
- D. Deploy a remote site for another cluster.

ANSWER: B D

QUESTION NO: 14

In respect to 1 GbE and 10 GbE interfaces (physical host), which statements are true?

- A. Do not include the 1 GbE interlaces in the same bond as the 10 GbE interlaces. Also, to avoid loops, do not add the 1 GbE interlaces to bridge brO, either individually or in a second bond. Use them on other bridges.
- B. If you want to use the 1 GbE interfaces for guest VM connectivity, follow the hypervisor manufacturer's switch '— port and networking configuration guidelines.
- C. If you want to use the 10 GbE interfaces for guest VM traffic, make sure that the guest VMs do not use the VLAN over which the Controller VM and hypervisor communicate.

ANSWER: A C

QUESTION NO: 15

An administrator wants to create a trunked interface on a VM on AOS 5.15x.

Which two steps should the administrator take first to achieve this? (Choose two)

- A. Use acli
- B. Log in over PE web UI.
- C. SSH to CVM.
- D. Update VM dialog.

ANSWER: A C