

DUMPSBOSS.

Forklift Theory

Test Prep FORKLIFT

Version Demo

Total Demo Questions: 10

Total Premium Questions: 125

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Whilst operating the lift truck in the working environment it is:

- A. the operator's responsibility to be aware of pedestrians at all times.
- B. the pedestrian's responsibility to keep a safe distance from the lift truck at all times.
- C. the management's responsibility to keep pedestrians off lift trucks at all times.

ANSWER: A

QUESTION NO: 2

Forklift operators are not required to observe traffic regulations because forklifts only travel at slow speeds.

- A. True.
- B. False.

ANSWER: B

QUESTION NO: 3

How often should prestart be done?

- A. Daily.
- B. Weekly.
- C. Monthly.

ANSWER: A

QUESTION NO: 4

An unladen lift truck should have its forks pointing down a gradient. This is to improve:

- A. visibility and steering.
- B. stability, traction and braking.

C. steering and reduce tyre wear.

ANSWER: B

QUESTION NO: 5

The Health and Safety At Work Act 1974 (HASWA) applies to:

- A. the employer.
- B. the employee.
- C. everyone.

ANSWER: C

QUESTION NO: 6

While carrying a load downhill, the forklift operator should:

- A. drive in reverse.
- B. drive forward.
- C. at an angle.
- D. none of the above.

ANSWER: A

QUESTION NO: 7

A forklift operator's performance must be evaluated:

- A. monthly.
- B. yearly.
- C. every three years.

ANSWER: C

QUESTION NO: 8

The lift truck operator should check that the machine is in a safe condition:

- A. at periodic intervals during the week.
- B. immediately after refueling the machine.
- C. at the start of the day or shift whichever comes first.

ANSWER: C

QUESTION NO: 9

How much back tilt is required when transporting a palletized load?

- A. Sufficient back tilt to cater for the type of load and ground conditions.
- B. Full tilt to keep the load against the vertical face of the forks.
- C. Back tilt just off the vertical to prevent the load from slipping forward.
- D. The forks should be level to transport a load.

ANSWER: A

QUESTION NO: 10

An operator must inspect a PIT for damage at the beginning of each shift, report the damage to the supervisor and take out of service until repaired.

- A. True.
- B. False.

ANSWER: A