

DUMPSBOSS.

Fortinet NSE 6 - FortiAuthenticator 6.1

Fortinet NSE6 FAC-6.1

Version Demo

Total Demo Questions: 5

Total Premium Questions: 30

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

What happens when a certificate is revoked? (Choose two)

- A. Revoked certificates cannot be reinstated for any reason
- B. All certificates signed by a revoked CA certificate are automatically revoked
- C. Revoked certificates are automatically added to the CRL
- D. External CAs will periodically query Fortiauthenticator and automatically download revoked certificates

ANSWER: C D

QUESTION NO: 2

Which FSSO discovery method transparently detects logged off users without having to rely on external features such as WMI polling?

- A. Windows AD polling
- B. FortiClient SSO Mobility Agent
- C. Radius Accounting
- D. DC Polling

ANSWER: B

QUESTION NO: 3

You are a FortiAuthenticator administrator for a large organization. Users who are configured to use FortiToken 200 for two-factor authentication can no longer authenticate. You have verified that only the users with two-factor authentication are experiencing the issue.

What can cause this issue?

- A. One of the FortiAuthenticator devices in the active-active cluster has failed
- B. FortiAuthenticator has lost contact with the FortiToken Cloud servers
- C. FortiToken 200 licence has expired
- D. Time drift between FortiAuthenticator and hardware tokens

ANSWER: D

QUESTION NO: 4

Which two statements about the self-service portal are true? (Choose two)

- A. Self-registration information can be sent to the user through email or SMS
- B. Realms can be used to configure which self-registered users or groups can authenticate on the network
- C. Administrator approval is required for all self-registration
- D. Authenticating users must specify domain name along with username

ANSWER: A B

QUESTION NO: 5

A device or user identity cannot be established transparently, such as with non-domain BYOD devices, and allow users to create their own credentials.

In this case, which user identity discovery method can Fortiauthenticator use?

- A. Syslog messaging or SAML IDP
- B. Kerberos-base authentication
- C. Radius accounting
- D. Portal authentication

ANSWER: D