

DUMPSBOSS.

IBM DB2 11.1 DBA for LUW

IBM C2090-600

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

When operating in NPS compatibility mode, which of the following are limitations for using a routine written in NZPLSQL? (Choose two.)

- A. The routine cannot contain comments.
- B. The routine must return either an integer or a null.
- C. The routine must be cross-compatible with Oracle PL/SQL syntax rules.
- D. The routine cannot contain argument lists or variable arguments (varargs).
- E. The routine must be generated with IBM Database Conversion Workbench (DCW).

ANSWER: B D

QUESTION NO: 2

Which data types are only valid when DB2_COMPATIBILITY_VECTOR=ORA? (Choose two.)

- A. XML
- B. REAL
- C. NUMBER
- D. VARCHAR2
- E. VARBINARY

ANSWER: C E

QUESTION NO: 3

Which operation can be performed with trusted context privileges that are acquired through a role?

- A. DML operations
- B. DDL operations
- C. Server maintenance operations
- D. Security administration operations

ANSWER: A

QUESTION NO: 4

When the DB2_WORKLOAD registry variable is assigned the value ANALYTICS and then a new database is created, what happens? (Choose two.)

- A. The PAGESIZE database configuration parameter is set to 32K.
- B. The AUTO_REORG database configuration parameter is set to NO.
- C. The DFT_EXTENT_SZ database configuration parameter is set to 8.
- D. The DFT_TABLE_ORG database configuration parameter is set to COLUMN.
- E. The INTRA_PARALLEL database manager configuration parameter is set to NO.

ANSWER: D E

QUESTION NO: 5

Which ALTER TABLE statements will put a table named TAB1 in “reorg-pending” state? (Choose two.)

- A. ALTER TABLE tab1 APPEND ON
- B. ALTER TABLE tab1 DROP COLUMN col1
- C. ALTER TABLE tab1 ALTER COLUMN col1 SET NOT NULL
- D. ALTER TABLE tab1 DETACH PARTITION part1 INTO tab_part1
- E. ALTER TABLE tab1 ADD CONSTRAINT pk_tab1 PRIMARY KEY (col1)

ANSWER: B C

QUESTION NO: 6

Which options are valid for an online reorganization operation?

- A. FULL and RECLAIM EXTENTS
- B. CLASSIC and RECLAIM EXTENTS
- C. FULL and CLEANUP OVERFLOWS
- D. CLEAN OVERFLOWS and RECLAIM EXTENTS

ANSWER: A

QUESTION NO: 7

If the following SQL statements are executed:

```
CREATE TABLE department
  (deptno CHAR(3) NOT NULL,
  location CHAR(16))
  ORGANIZE BY ROW;

ALTER TABLE department
  ADD CONSTRAINT pk_dept PRIMARY KEY (deptno) NOT ENFORCED;

INSERT INTO department VALUES ('A25', 'New York');
INSERT INTO department VALUES ('B26', 'Chicago');
INSERT INTO department VALUES ('A25', 'Dallas');
INSERT INTO department VALUES ('A56', 'San Jose');
```

How many rows will be added to the DEPARTMENT table?

- A. 1
- B. 2
- C. 3
- D. 4

ANSWER: D

QUESTION NO: 8

The DBA has observed that queries executed against SALES table have poor performance. SALES is a compressed table and recently there have been a lot of rows inserted and modified in that table. The DBA has detected that lower performance may be the result of sub-optimal compression dictionary for that table.

Which of the following commands should be used to resolve the problem without preventing users from changing data in the SALES table

- A. REORG TABLE sales INPLACE RESETDICTIONARY
- B. REORG TABLE sales INPLACE REBUILDDICTIONARY
- C. REORG TABLE sales ALLOW WRITE ACCESS RESETDICTIONARY
- D. REORG TABLE sales ALLOW WRITE ACCESS REBUILDDICTIONARY

ANSWER: C

QUESTION NO: 9

An HADR environment has two standby databases – one principal and one auxiliary. What is the only mode that can be used to transfer data to the auxiliary standby?

- A. SYNC
- B. ASYNC
- C. NEARSYNC
- D. SUPERASYNC

ANSWER: D

QUESTION NO: 10

Which two tasks must be done to read data directly from IBM Softlayer Object Storage and insert it into a DB2 database? (Choose two.)

- A. Catalog a storage access alias in the DB2 database
- B. Create an FTP account on IBM Softlayer Object Storage
- C. Use the DB2REMOTE parameter of the LOAD command
- D. Establish a remote connection to IBM Softlayer Object Storage using DB2 Connect
- E. Create a local disk alias at the database server operating system level that points to IBM Softlayer Object Storage

ANSWER: A C