

DUMPSBOSS.

Fortinet NSE 4 - FortiOS 7.0

Fortinet NSE4 FGT-7.0

Version Demo

Total Demo Questions: 10

Total Premium Questions: 190

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

Which two statements are correct regarding FortiGate HA cluster virtual IP addresses? (Choose two.)

- A. Heartbeat interfaces have virtual IP addresses that are manually assigned.
- B. A change in the virtual IP address happens when a FortiGate device joins or leaves the cluster.
- C. Virtual IP addresses are used to distinguish between cluster members.
- D. The primary device in the cluster is always assigned IP address 169.254.0.1.

ANSWER: B D

QUESTION NO: 2

In which two ways can RPF checking be disabled? (Choose two)

- A. Enable anti-replay in firewall policy.
- B. Disable the RPF check at the FortiGate interface level for the source check
- C. Enable asymmetric routing.
- D. Disable strict-arc-check under system settings.


ANSWER: B C

Explanation:

Reference: <https://kb.fortinet.com/kb/documentLink.do?externalID=FD33955>

QUESTION NO: 3

Refer to the exhibit.



Which contains a Performance SLA configuration.

An administrator has configured a performance SLA on FortiGate. Which failed to generate any traffic. Why is FortiGate not generating any traffic for the performance SLA?

- A. Participants configured are not SD-WAN members.
- B. There may not be a static route to route the performance SLA traffic.
- C. The Ping protocol is not supported for the public servers that are configured.
- D. You need to turn on the Enable probe packets switch.

ANSWER: D

Explanation:

Reference: <https://docs.fortinet.com/document/fortigate/6.2.0/cookbook/478384/performance-sla-linkmonitoring>

QUESTION NO: 4

The HTTP inspection process in web filtering follows a specific order when multiple features are enabled in the web filter profile.

What order must FortiGate use when the web filter profile has features enabled, such as safe search?

- A. DNS-based web filter and proxy-based web filter
- B. Static URL filter, FortiGuard category filter, and advanced filters
- C. Static domain filter, SSL inspection filter, and external connectors filters
- D. FortiGuard category filter and rating filter

ANSWER: B

Explanation:

Reference: https://fortinet121.rssing.com/chan-67705148/all_p1.html

QUESTION NO: 5

Which of the following SD-WAN load –balancing method use interface weight value to distribute traffic? (Choose two.)

- A. Source IP
- B. Spillover
- C. Volume
- D. Session

ANSWER: C D

Explanation:

<https://docs.fortinet.com/document/fortigate/6.0.0/handbook/49719/configuring-sd-wan-load-balancing>

QUESTION NO: 6

To complete the final step of a Security Fabric configuration, an administrator must authorize all the devices on which device?

- A. FortiManager
- B. Root FortiGate
- C. FortiAnalyzer
- D. Downstream FortiGate

ANSWER: B

QUESTION NO: 7

Refer to the exhibits.

Exhibit A.

SSL-VPN Settings

Connection Settings ⓘ

Listen on Interface(s)

Listen on Port

Web mode access will be listening at <https://10.200.1.1:11443>

Redirect HTTP to SSL-VPN

Restrict Access **Allow access from any host** Limit access to specific hosts

Idle Logout

Inactive For Seconds

Server Certificate

Require Client Certificate

Tunnel Mode Client Settings ⓘ

Address Range **Automatically assign addresses** Specify custom IP ranges

Tunnel users will receive IPs in the range of 10.212.134.200–10.212.134.210

DNS Server **Same as client system DNS** Specify

Specify WINS Servers

Authentication/Portal Mapping ⓘ

+ Create New	Edit	Delete
Users/Groups ⇅	Portal ⇅	
SSL-VPN-Users	tunnel-access	
All Other Users/Groups	full-access	

Exhibit B.



The SSL VPN connection fails when a user attempts to connect to it.

What should the user do to successfully connect to SSL VPN?

- A. Change the SSL VPN port on the client.
- B. Change the Server IP address.
- C. Change the idle-timeout.
- D. Change the Server IP address.

ANSWER: A

Explanation:

Reference: <https://docs.fortinet.com/document/fortigate/5.4.0/cookbook/150494>

QUESTION NO: 8

Which statement about the IP authentication header (AH) used by IPsec is true?

- A. AH does not provide any data integrity or encryption.
- B. AH does not support perfect forward secrecy.

- C. AH provides data integrity but no encryption.
- D. AH provides strong data integrity but weak encryption.

ANSWER: C

QUESTION NO: 9

Which statements best describe auto discovery VPN (ADVPN). (Choose two.)

- A. It requires the use of dynamic routing protocols so that spokes can learn the routes to other spokes.
- B. ADVPN is only supported with IKEv2.
- C. Tunnels are negotiated dynamically between spokes.
- D. Every spoke requires a static tunnel to be configured to other spokes so that phase 1 and phase 2 proposals are defined in advance.

ANSWER: A C

QUESTION NO: 10

What types of traffic and attacks can be blocked by a web application firewall (WAF) profile? (Choose three.)

- A. Traffic to botnetservers
- B. Traffic to inappropriate web sites
- C. Server information disclosure attacks
- D. Credit card data leaks
- E. SQL injection attacks

ANSWER: C D E