

DUMPSBOSS.

Fortinet NSE 5 - FortiManager 7.0

Fortinet NSE5 FMG-7.0

Version Demo

Total Demo Questions: 10

Total Premium Questions: 72

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

Topic Break Down

Topic	No. of Questions
Topic 1, Main Questions Pool A	32
Topic 2, Main Questions Pool B	17
Topic 3, Main Questions Pool C	23
Total	72

QUESTION NO: 1

View the following exhibit.

Starting Log (Run the device)

Start installing

```
Local-FortiGate $ config user device
```

```
Local-FortiGate (device) $ edit "mydevice"
```

```
new entry 'mydevice' added
```

```
Local-FortiGate (mydevice) $ next
```

```
MAC address can not be 0
```

```
Node_check_object fail!for mac 00:00:00:00:00:00
```

```
Attribute 'mac' value '00:00:00:00:00:00' checkingfail -33
```

```
Command fail. Return code 1
```

```
Local-FortiGate (device) $ end
```

```
...
```

```
Local-FortiGate $ config firewall policy
```

```
Local-FortiGate (policy) $ edit 2
```

```
New entry '2' added
```

```
Local-FortiGate (2) $ set name "Device_policy"
```

```
Local-FortiGate (2) $ set uuid 64...
```

```
Local-FortiGate (2) $ set srcintf "port3"
```

```
Local-FortiGate (2) $ set dstintf "port1"
```

```
Local-FortiGate (2) $ set srcaddr "all"
```

```
Local-FortiGate (2) $ set dstaddr "all"
```

```
Local-FortiGate (2) $ set action accept
```

```
Local-FortiGate (2) $ set schedule "always"
```

```
Local-FortiGate (2) $ set service "ALL"
```

```
Local-FortiGate (2) $ set devices "mydevice"
```

```
Entry not found in datasource
```

```
Value parse error before 'mydevice'
```

```
Command fail. Return code -3
```

```
Local-FortiGate (2) $ set nat enable
```

```
Local-FortiGate (2) $ next
```

```
Local-FortiGate (policy) $ end
```

```
...
```

Which statement is true regarding this failed installation log?

- A. Policy ID 2 is installed without a source address
- B. Policy ID 2 will not be installed
- C. Policy ID 2 is installed in disabled state
- D. Policy ID 2 is installed without a source device

ANSWER: D

QUESTION NO: 2

What will happen if FortiAnalyzer features are enabled on FortiManager?

- A. FortiManager will keep all the logs and reports on the FortiManager.
- B. FortiManager will enable ADOMs to collect logs automatically from non-FortiGate devices.
- C. FortiManager will install the logging configuration to the managed devices
- D. FortiManager can be used only as a logging device.

ANSWER: C

QUESTION NO: 3

Which of the following statements are true regarding VPN Gateway configuration in VPN Manager? (Choose two.)

- A. Managed gateways are devices managed by FortiManager in the same ADOM
- B. External gateways are third-party VPN gateway devices only
- C. Protected subnets are the subnets behind the device that you don't want to allow access to over the IPsec VPN
- D. Managed devices in other ADOMs must be treated as external gateways

ANSWER: A D

QUESTION NO: 4

What is the purpose of ADOM revisions?

- A. To create System Checkpoints for the FortiManager configuration.
- B. To save the current state of the whole ADOM.


C. To save the current state of all policy packages and objects for an ADOM.

D. To revert individual policy packages and device-level settings for a managed FortiGate by reverting to a specific ADOM revision

ANSWER: C

QUESTION NO: 5

View the following exhibit.



Which of the following statements are true based on this configuration setting? (Choose two.)

- A. This setting will enable the ADOMs feature on FortiManager.
- B. This setting is applied globally to all ADOMs.
- C. This setting will allow assigning different VDOMs from the same FortiGate to different ADOMs.
- D. This setting will allow automatic updates to the policy package configuration for a managed device.

ANSWER: B C

QUESTION NO: 6

An administrator has enabled Service Access on FortiManager.

What is the purpose of Service Access on the FortiManager interface?

- A. Allows FortiManager to download IPS packages
- B. Allows FortiManager to respond to request for FortiGuard services from FortiGate devices
- C. Allows FortiManager to run real-time debugs on the managed devices

D. Allows FortiManager to automatically configure a default route

ANSWER: B

QUESTION NO: 7

View the following exhibit.

The exhibit shows two screenshots from the FortiManager GUI. The top screenshot is from the 'Device Manager' section, showing a list of devices under 'Managed FortiGate devices'. The bottom screenshot is from the 'Policy Packages' section, showing the 'Installation Targets' list and a table of policy packages.

Seq.#	Install On	Name	From	To
1	Remote-FortiGate(Student)	Ping_Access	port3	port1
2	Remote-FortiGate(Student)	Web	port3	port1
3	Installation Targets	Source_Device	port3	port1

Given the configurations shown in the exhibit, what can you conclude from the installation targets in the Install On column?

- A. The Install On column value root represents successful installation on the managed devices
- B. Policy seq#3 will be installed on all managed devices and VDOMs that are listed under Installation Targets
- C. Policy seq#3 will be installed on the Trainer[NAT] VDOM only
- D. Policy seq#3 will be not installed on any managed device

ANSWER: B

QUESTION NO: 8

Refer to the following exhibit:

```
config system global
set workspace-mode normal
end
```

Which of the following statements are true based on this configuration? (Choose two.)

- A. The same administrator can lock more than one ADOM at the same time
- B. Ungraceful closed sessions will keep the ADOM in a locked state until the administrator session times out
- C. Unlocking an ADOM will submit configuration changes automatically to the approval administrator
- D. Unlocking an ADOM will install configuration automatically on managed devices

ANSWER: A B

QUESTION NO: 9

Which two items are included in the FortiManager backup? (Choose two.)

- A. FortiGuard database
- B. Global database
- C. Logs
- D. All devices

ANSWER: B D

QUESTION NO: 10

Which two settings must be configured for SD-WAN Central Management? (Choose two.)

- A. SD-WAN must be enabled on per-ADOM basis
- B. You can create multiple SD-WAN interfaces per VDOM
- C. When you configure an SD-WAN, you must specify at least two member interfaces.

D. The first step in creating an SD-WAN using FortiManager is to create two SD-WAN firewall policies.

ANSWER: A C