

DUMPSBOSS.

**SAP Certified Application Associate - SAP
HANA 2.0 SPS06**

SAP C HANAIMP 18

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

**support@dumpsboss.co
dumpsboss.co**

QUESTION NO: 1

You combine two customer master data tables with a union node in a calculation view. Both master data tables include the same customer name. How do you ensure that each customer name appears only once in the results?

- A. Define a restricted column in a union node.
- B. In the union node, map both source customer name columns to one target column.
- C. Include an aggregation node above the union node.
- D. Add an intersect node above the union node.

ANSWER: C

QUESTION NO: 2

You have imported a new calculation view in a folder that contains an .hdinamespace file. This calculation view consumes one data source, which is a table. When trying to build the calculation view, the build fails with a namespace-related issue. What could be the reason? Note: There are 2 correct answers to this question.

- A. The imported calculation view and its data source have different namespaces.
- B. The namespace used within the calculation view to reference the table is different from the actual namespace in the identifier of this table.
- C. The .hdinamespace specifies "sub-folder": "append", so calculation views can only be created in subfolders.
- D. An .hdinamespace file is defined in the SRC folder that specifies a different namespace property than the one in the identifier of the calculation view.

ANSWER: A B

QUESTION NO: 3

When modeling in the SAP Web IDE for SAP HANA, which object do you build to provide access to tables in external schemas?

- A. Virtual Table
- B. Synonym
- C. Association
- D. Alias

ANSWER: B

QUESTION NO: 4

Why would you develop an SQL procedure instead of a function?Note: There are 3 correct answers to this question.

- A. You want to create a dynamic analytic privilege.
- B. A temporary table must be created within the code.
- C. Optimal performance is a priority.
- D. The code should modify data in a table.
- E. You need to use conditional logic.

ANSWER: A B D

QUESTION NO: 5

What are the limitations of using a full outer join in a star join node?Note: There are 2 correct answers to this question.

- A. It must appear in the last DIMENSION in the star join node.
- B. It CANNOT be mixed in the same star join node with other join types.
- C. Only one column can be included in the join condition.
- D. It is restricted to one DIMENSION in a star join node.

ANSWER: A D

QUESTION NO: 6

What does SAP HANA provide to support full stack native application development?Note: There are 2 correct answers to this question.

- A. Code editors and debugger
- B. Support for automated regression testing
- C. Source code version management tool
- D. Incident tracking tools

ANSWER: A C

QUESTION NO: 7

What is the SQL keyword used to process input parameters defined in a calculation view?

- A. Hint
- B. Placeholder
- C. Where
- D. Set

ANSWER: B

QUESTION NO: 8

You have generated a calculation view properties file. What does it contain?

- A. Descriptions of all objects defined in a calculation view
- B. All settings defined in a calculation view
- C. Dependencies between calculation views
- D. Documentation to support the calculation view

ANSWER: A

QUESTION NO: 9

What are the consequences of NOT executing a delta merge? Note: There are 2 correct answers to this question.

- A. Aggregates are not adjusted.
- B. New records are not read.
- C. Read performance decreases.
- D. Memory is not optimized.

ANSWER: A D

QUESTION NO: 10

What is a restricted measure?

- A. A measure that cannot be referenced by a calculated column.
- B. A measure that can only be displayed by those with necessary privileges.

C. A measure that is filtered by one or more attribute values.

D. A measure that can be consumed by a CUBE and not a DIMENSION.

ANSWER: C