

DUMPSBOSS.

IBM InfoSphere Information Server for Data Integration Fundamentals Technical Mastery Test v1 Exam

IBM P2090-045

Version Demo

Total Demo Questions: 10

Total Premium Questions: 55

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

In which situation below can you use the Metadata Asset Manager with the MetaBrokers and Bridges (Import/Export Manager) to import metadata into the Metadata Repository?

- A. To bring runtime information about DataStage jobs into the Metadata Repository
- B. To bring FastTrack mapping specifications into the Metadata Repository
- C. To bring Cognos BI reports and queries into the Metadata Repository
- D. To bring a blueprint from Blueprint Director into the Metadata Repository

ANSWER: C

QUESTION NO: 2

In a Job Sequence, what is the purpose for the use of Checkpoints?

- A. Monitor performance and failure for each stage
- B. Automatically restart a job
- C. Record the log information for each trigger
- D. Restart a job from the latest Checkpoint in case of job failures

ANSWER: D

QUESTION NO: 3

Which of the following is a standard practice when using partition parallelism?

- A. Disable the pipeline parallelism for all the stages that can run in parallel
- B. Setup a configuration file defining multiple CPUs for each logical node
- C. Avoid repartitioning if possible
- D. All of the above

ANSWER: C

QUESTION NO: 4

What is a descriptor file of a Dataset created by the Dataset Stage?

- A. Contains the length of the data files
- B. Contains metadata, data location, but not the data itself
- C. Contains the actual data in text format
- D. Contains the actual data in binary format

ANSWER: B

QUESTION NO: 5

What is a supported function of the Dataset Management Utility?

- A. Repartitions datasets
- B. Stores datasets
- C. Copies, views and deletes the dataset
- D. Saves the table definition for the dataset

ANSWER: C

QUESTION NO: 6

Which Stage requires identical metadata in order to combine data?

- A. Lookup Stage
- B. Funnel Stage
- C. Join Stage
- D. Transformer Stage

ANSWER: B

QUESTION NO: 7

Which of the following components need to be up and running in order to use InfoSphere Discovery Studio?

- A. WAS (WebSphere Application Server)
- B. The ASB agent
- C. The database holding the Information Server Metadata Repository

- D. All of the above
- E. None of the above

ANSWER: E

QUESTION NO: 8

A Job Sequence CANNOT contain _____.

- A. Transformer Stages
- B. Sequencer Stages
- C. Triggers
- D. Job Activity Stages

ANSWER: A

QUESTION NO: 9

A Transformer Stage can have _____.

- A. One input link, one or more reject links, one otherwise link, one or more output links
- B. One or more input links, one or more reject links, one otherwise link, one or more output links
- C. One input link, one reject link, one otherwise link, one or more output links
- D. One or more input links, one reject link, one otherwise link, one or more output links

ANSWER: C

QUESTION NO: 10

Where are Table Definitions stored?

- A. Information Server metadata repository
- B. In the file system as a binary file
- C. In the file system as a csv file
- D. None of the above

ANSWER: A