

# DUMPSBOSS.

## Check Point Certified Security Expert UpdateR80.10

Checkpoint 156-915.80

Version Demo

Total Demo Questions: 15

Total Premium Questions: 303

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## Topic Break Down

Topic	No. of Questions
Topic 1, Main Questions	99
Topic 2, Exam Pool A	100
Topic 3, Exam Pool B	104
<b>Total</b>	<b>303</b>

## QUESTION NO: 1

Can you implement a complete IPv6 deployment without IPv4 addresses?

- A. No. SmartCenter cannot be accessed from everywhere on the Internet.
- B. Yes. Only one TCP stack (IPv6 or IPv4) can be used at the same time.
- C. Yes, There is no requirement for managing IPv4 addresses.
- D. No. IPv4 addresses are required for management.

**ANSWER: C**

## QUESTION NO: 2

You want to establish a VPN, using certificates. Your VPN will exchange certificates with an external partner. Which of the following activities should you do first?

- A. Exchange exported CA keys and use them to create a new server object to represent your partner's Certificate Authority (CA).
- B. Create a new logical-server object to represent your partner's CA.
- C. Manually import your partner's Access Control List.
- D. Manually import your partner's Certificate Revocation List.

**ANSWER: A**

## QUESTION NO: 3

After filtering a fw monitor trace by port and IP, a packet is displayed three times; in the i, I, and o inspection points, but not in the O inspection point. Which is the likely source of the issue?

- A. The packet has been sent out through a VPN tunnel unencrypted.
- B. An IPSO ACL has blocked the packet's outbound passage.
- C. A SmartDefense module has blocked the packet.
- D. It is due to NAT.

**ANSWER: D**

## QUESTION NO: 4

Your organization's disaster recovery plan needs an update to the backup and restore section to reap the new distributed R80 installation benefits. Your plan must meet the following required and desired objectives:

Required Objective: The Security Policy repository must be backed up no less frequently than every 24 hours.

Desired Objective: The R80 components that enforce the Security Policies should be backed up at least once a week.

Desired Objective: Back up R80 logs at least once a week.

Your disaster recovery plan is as follows:

- Use the cron utility to run the command `upgrade_export` each night on the Security Management Servers.
- Configure the organization's routine back up software to back up the files created by the command `upgrade_export`.
- Configure the GAIa back up utility to back up the Security Gateways every Saturday night.
- Use the cron utility to run the command `upgrade_export` each Saturday night on the log servers.
- Configure an automatic, nightly logswitch.
- Configure the organization's routine back up software to back up the switched logs every night.

Upon evaluation, your plan:

- A.** Meets the required objective and only one desired objective.
- B.** Meets the required objective but does not meet either desired objective.
- C.** Does not meet the required objective.
- D.** Meets the required objective and both desired objectives.

**ANSWER: D**

## QUESTION NO: 5

Which Check Point address translation method is necessary if you want to connect from a host on the Internet via HTTP to a server with a reserved (RFC 1918) IP address on your DMZ?

- A.** Dynamic Source Address Translation
- B.** Hide Address Translation
- C.** Port Address Translation
- D.** Static Destination Address Translation

**ANSWER: D**

## QUESTION NO: 6

Where does the security administrator activate Identity Awareness within SmartDashboard?

- A. Gateway Object > General Properties
- B. Security Management Server > Identity Awareness
- C. Policy > Global Properties > Identity Awareness
- D. LDAP Server Object > General Properties

**ANSWER: A**

## QUESTION NO: 7

What is a feature that enables VPN connections to successfully maintain a private and secure VPN session without employing Stateful Inspection?

- A. Stateful Mode
- B. VPN Routing Mode
- C. Wire Mode
- D. Stateless Mode

**ANSWER: C**

### Explanation:

Wire Mode is a VPN-1 NGX feature that enables VPN connections to successfully fail over, bypassing Security Gateway enforcement. This improves performance and reduces downtime. Based on a trusted source and destination, Wire Mode uses internal interfaces and VPN Communities to maintain a private and secure VPN session, without employing Stateful Inspection. Since Stateful Inspection no longer takes place, dynamic-routing protocols that do not survive state verification in non-Wire Mode configurations can now be deployed. The VPN connection is no different from any other connections along a dedicated wire, thus the meaning of "Wire Mode".

References:

## QUESTION NO: 8

Which one of these features is NOT associated with the Check Point URL Filtering and Application Control Blade?

- A. Detects and blocks malware by correlating multiple detection engines before users are affected.
- B. Configure rules to limit the available network bandwidth for specified users or groups.
- C. Use UserCheck to help users understand that certain websites are against the company's security policy.
- D. Make rules to allow or block applications and Internet sites for individual applications, categories, and risk levels.

**ANSWER: A**

**Explanation:**

Use the URL Filtering and Application Control Software Blades to:

References:

**QUESTION NO: 9**

Your customer, Mr. Smith needs access to other networks and should be able to use all services. Session authentication is not suitable. You select Client Authentication with HTTP. The standard authentication port for client HTTP authentication (Port 9001) is already in use. You want to use Port 9001 but are having connectivity problems. Why are you having problems?

```

@london:/opt/CPsuite-R70/fw1/conf
[Expert@london]# cd $FWDIR/conf
[Expert@london]# cat fwauthd.conf
21          fwssd      in.aftpd      wait      0
80          fwssd      in.ahttpd    wait      -2
513         fwssd      in.arlogind   wait      0
25          fwssd      in.asmtpd    wait      0
2525        fwssd      in.emaild.smtp wait      0
110         fwssd      in.emaild.pop3 wait     0
23          fwssd      in.atelnetd  wait      0
259         fwssd      in.aclientd  wait      0
10081       fwssd      in.lhttpd    wait      0
9001        fwssd      in.ahclientd wait      0
0           fwssd      in.pingd     respawn  0
0           fwssd      in.asectiond respawn  0
0           fwssd      in.aufpd     respawn  0
0           fwssd      in.aciufpd   respawn  0
0           vpn        vpnd         respawn  0
0           fwssd      mdq          respawn  0
0           stormd     stormd       respawn  0
0           igwd        igwd         respawn  0
0           fwssd      in.emaild.mta respawn  0
0           fwssd      in.msdd      respawn  0
0           sds         sdsd         respawn  0
0           dtps        dtpsd        respawn  0
0           dtls         dtlsd        respawn  0
[Expert@london]#
    
```

No.	Hits	Name	Source	Destination	VPN	Service	Action	Track	Install On
1	0	Authentication	Customers@Any	Any	Any Traffic	http ftp	User Auth	Log	Policy Targets
2	0		Any	Any	Any Traffic	Any	accept	None	Policy Targets

**A.** The configuration file \$FWDIR/conf/fwauthd.conf is incorrect.

**B.** The Security Policy is not correct.

- C. You can't use any port other than the standard port 900 for Client Authentication via HTTP.
- D. The service FW\_clntauth\_http configuration is incorrect.

**ANSWER: A**

## QUESTION NO: 10

Which three of the following are ClusterXL member requirements?

- 1) same operating systems
  - 2) same Check Point version
  - 3) same appliance model
  - 4) same policy
- A. 1, 3, and 4
  - B. 1, 2, and 4
  - C. 2, 3, and 4
  - D. 1, 2, and 3

**ANSWER: B**

## QUESTION NO: 11

What is the primary benefit of using the command `upgrade_export` over either `backup` or `snapshot`?

- A. `upgrade_export` is operating system independent and can be used when `backup` or `snapshot` is not available.
- B. `upgrade_export` will back up routing tables, hosts files, and manual ARP configurations, where `backup` and `snapshot` will not.
- C. The commands `backup` and `snapshot` can take a long time to run whereas `upgrade_export` will take a much shorter amount of time.
- D. `upgrade_export` has an option to back up the system and SmartView Tracker logs while `backup` and `snapshot` will not.

**ANSWER: A**

## QUESTION NO: 12

Select the correct statement about Secure Internal Communications (SIC) Certificates. SIC Certificates:

- A. Are used for securing internal network communications between the SmartDashboard and the Security Management Server.
- B. For R75 Security Gateways are created during the Security Management Server installation.
- C. Decrease network security by securing administrative communication among the Security Management Servers and the Security Gateway.
- D. Uniquely identify Check Point enabled machines; they have the same function as VPN Certificates.

**ANSWER: D**

## QUESTION NO: 13

The Security Gateway is installed on GAIa R80. The default port for the Web User Interface is \_\_\_\_\_.

- A. TCP 18211
- B. TCP 257
- C. TCP 4433
- D. TCP 443

**ANSWER: D**

## QUESTION NO: 14

Which components allow you to reset a VPN tunnel?

- A. vpn tu command or SmartView monitor
- B. delete vpn ike sa or vpn she11 command
- C. vpn tunnelutil or delete vpn ike sa command
- D. SmartView monitor only

**ANSWER: D**

## QUESTION NO: 15

What Shell is required in Gaia to use WinSCP?

- A. UNIX
- B. CPShell
- C. CLISH

D. Bash

**ANSWER: D**

**Explanation:**

References: