

DUMPSBOSS.

**SAP Certified Associate - Developer -
Programming in SAP S/4HANA for SAP
NetWeaver ABAP Programmer**

SAP C S4HDEV1909

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

**support@dumpsboss.co
dumpsboss.co**

QUESTION NO: 1

What can you define in an SAP Fiori catalog?

There are 2 correct answers to this question.

- A. Links
- B. Target Mappings
- C. Groups
- D. Tiles

ANSWER: B D

QUESTION NO: 2

Where does the SAP system organize the SAP Gateway services?

Please choose the correct answer.

- A. Internet Transaction Server (ITS)
- B. Internet Communication Framework (ICF)
- C. Internet Graphics Service (IGS)
- D. Internet Communication Manager (ICM)

ANSWER: B

QUESTION NO: 3

Which of the following rules apply to the naming of CDS Views?

There are 2 correct answers to this question.

- A. The data definition and the SQL view must have the same name.
- B. The SQL view name can be up to 30 characters long.
- C. The data definition name can be up to 30 characters long.
- D. The CDS view and the SQL view must have different names.

ANSWER: C D

QUESTION NO: 4

The Entity Manipulation Language (EML) is an extension of which of the following?

Please choose the correct answer.

- A. The ABAP Programming Language
- B. The Structured Query Language
- C. The Service Definition Language
- D. The Behavior Definition Language

ANSWER: A

QUESTION NO: 5

Where do you distinguish between OData V2 or OData V4?

Please choose the correct answer.

- A. Projection View
- B. Service Binding
- C. Behavior Projection
- D. Service Definition

ANSWER: B

QUESTION NO: 6

You want to create a new CDS view VIEW1 that reads from CDS view VIEW2. VIEW2 has 2 input parameters, par1 and par2, with data type abap.char(10).

Which of the following is the correct way to supply the input parameters?

Please choose the correct answer.

- A. select from VIEW2(par1 = IText1I, par2 = IText2I)
- B. select from VIEW2(par1: IText1I par2: IText2I)
- C. select from VIEW2(par1: IText1I, par2: IText2I)
- D. select from VIEW2(par1= IText1I par2= IText2I)

ANSWER: C

QUESTION NO: 7

You plan to migrate an SAP ERP system to SAP S/4HANA. Which of the following tasks are recommended but NOT mandatory?

There are 2 correct answers to this question.

- A. Custom code evaluation
- B. Performance tuning
- C. SAP S/4HANA checks
- D. Functional adaption

ANSWER: A B

QUESTION NO: 8

Which of the following information do you get using the ABAP Call Monitor?

There are 3 correct answers to this question.

- A. The number of calls
- B. Business transactions that called ABAP objects
- C. The protocol type used for the call
- D. The ID of the calling user
- E. The ABAP objects that have been called

ANSWER: A B E

QUESTION NO: 9

You define an SAPUI5 application as the target in a target mapping. Which of the following are mandatory?

There are 3 correct answers for this question.

- A. Application ID
- B. OData service
- C. ICF path
- D. Component ID
- E. Application type

ANSWER: A C D

QUESTION NO: 10

The root-node of a CDS-based business object is based on CDS View ZMY_VIEW. The persistent data is stored in the database table ZMY_TABLE. At least one key field of ZMY_TABLE has a different name in CDS View ZMY_VIEW.

Which kind of repository object is needed to map the fields of ZMY_VIEW to the fields of ZMY_TABLE?

Please choose the correct answer.

- A. SQL View
- B. Database View
- C. Structure Type
- D. Global Class

ANSWER: B