

DUMPSBOSS.

SAP Certified Development Associate SAP Extension Suite

SAP C CPE 13

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1 - (DRAG DROP)

You have implemented a simple bookshop CAP application for the purpose of selling books. You want to implement an event handler in the bookshop-service, that calculates a discount of 10 % on the price of books written in English ("en"). In all other cases, you want to calculate a discount of 5 %. The price should be calculated after books are read from the service. Drag the code snippets from below into the correct parts of the event handler implementation. Drag the key and value items from below into the correct parts of the descriptor file.

```

cds.service( ) .with (function(){
  this.( , 'books', (books)=>{
    books.( (book) =>{
      if ( ) {
        }
      } else {
        }
    }
  });

```

'bookshop-service' book.price = book.price * 0.95

book.price = book.price * 0.9 forEach after 'READ' book.language == 'en'

ANSWER:

```

cds.service('bookshop-service') .with (function(){
  this.after('READ', 'books', (books)=>{
    books.forEach((book) =>{
      if (book.language == 'en') {
        book.price = book.price * 0.95
      } else {
        book.price = book.price * 0.9
      }
    }
  });

```

'bookshop-service' book.price = book.price * 0.95

book.price = book.price * 0.9 forEach after 'READ' book.language == 'en'

Explanation:

'bookshop-service', after, 'READ', forEach, 'book.language == 'en', 'book.price = book.price * 0.95, book.price = book.price * 0.9

QUESTION NO: 2

You have created an SAP BTP subaccount and want to use Cloud Foundry. What is the correct order of next steps?

- A. Create quota plan. Enable Cloud Foundry. Create space. Create org
- B. Create quota plan. Create org. Create space. Enable Cloud Foundry
- C. Enable Cloud Foundry. Create space . Create org. Create quota plan
- D. Enable Cloud Foundry. Create org. Create space. Create quota plan

ANSWER: D

QUESTION NO: 3

Your customer presents you with the following UI requirements: Users need to work through a comparatively small set of items, one by one. Multiple views of the same content. One kind of data visualization. Which SAP Fiori elements floorplan do you recommend they use?

- A. Analytical list page
- B. Worklist
- C. Object page
- D. List report

ANSWER: A

QUESTION NO: 4

To establish trust, which of the following can be targets of the SAP Authorization and Trust Management Service?

- A. multi-environments
- B. identity-providers
- C. platforms
- D. users

ANSWER: B

QUESTION NO: 5

You have configured an approuter by creating the xs-app.json file in the approuter folder with the following content: { ... "authenticationMethod": "route", ... }, "routes": [{ "source": "^/app/(.*)\$", "target": "\$1", "localDir": "resources", "authenticationType": "xsuaa" }, { "source": "^/service/(.*)\$", "destination": "srv-binding", "authenticationType": "xsuaa" }] }

What does this routes array tell the approuter? Note: There are 2 correct answers to this question.

- A. The files in the resources folder will be served for all requests to /app.
- B. The files requested for /app will be put to the resources folder.
- C. All requests starting with /service will be forwarded to the CAP service.
- D. All requests starting with /service will be targeted to the folder resources.

ANSWER: A C

QUESTION NO: 6

You have set up a pipeline in the SAP Continuous Integration and Delivery service with automated deployment. A build was initiated and failed. What do you check to find out which step of the pipeline failed?

- A. The webhook of your version control system
- B. The webhook event receiver
- C. The stages of the failed job run
- D. The stages in the config.yml in the .pipeline folder

ANSWER: C

QUESTION NO: 7

Which of the following environments run on the SAP multi-cloud foundation? Note: There are 2 to choose.

- A. Kyma environment
- B. Cloud Foundry environment
- C. Netweaver environment
- D. Neo environment

ANSWER: A B

Explanation:

The multi-cloud foundation is the basis of SAP BTP, which through its multi-cloud compatibility, lets you choose from different infrastructures, environments, and runtimes.

It comprises three different environments: The Cloud Foundry environment, the Kyma environment, and the ABAP environment.

<https://help.sap.com/viewer/b017fc4f944e4eb5b31501b3d1b6a1f0/Cloud/en-US/06b6fb3d45d040429e36f0359d2fe1f2.html?q=SAP%20Cloud%20Platform%20Functions%20FaaS%20Serverless>

QUESTION NO: 8

Which basic user types exist on the SAP Business Technology Platform? Note: There are 2 to choose.

- A. Platform users
- B. Application users
- C. Technical users
- D. Business users

ANSWER: A D

QUESTION NO: 9

On SAP BTP, what request rate limit tries to protect the Cloud Foundry API against misuse?

- A. 10k requests per hour per user
- B. 1k requests per hour for all users
- C. 100k requests per hour per user
- D. 50k requests per hour for all users

ANSWER: A

QUESTION NO: 10

Which of the following dev space types contains the Java extension by default? Note: There are 2 to choose.

- A. SAP Fiori
- B. SAP HANA Native Application
- C. Full Stack Cloud Application
- D. SAP Mobile Application

ANSWER: B C