

# DUMPSBOSS.

## Oracle Cloud Database Services 2022 Professional

Oracle 1z0-1093-22

Version Demo

Total Demo Questions: 10

Total Premium Questions: 55

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

Which tool can be used to monitor a storage server in Exadata Cloud Service?

- A. OCI CLI
- B. ocpucli
- C. exaccli
- D. dbaascli

**ANSWER: C**

## QUESTION NO: 2

What THREE steps must you perform to connect to a MySQL database in the database system by using SSH and MySQL Shell?

- A. Add an ingress rule for port 20.
- B. Instantiate MySQL Shell on the MySQL database system instance.
- C. Connect to the MySQL Database Service instance.
- D. SSH into the compute instance from your local machine.
- E. Start MySQL Shell on the compute instance.

**ANSWER: B C D**

## QUESTION NO: 3

What TWO reasons do you need a minimum of three storage cells when using Exadata Cloud Service? (Choose all correct answers)

- A. for high availability
- B. for Fast Start Failover of storage cells
- C. for Data Guard
- D. for Real Application Clusters
- E. for triple mirroring of data

**ANSWER: A E**

## QUESTION NO: 4

You want to scale within Exadata System. Which of the following two statements are true? (Choose all correct answers)

- A. The setting of database parameter CPU\_COUNT is affected by modifying the number of enabled OCPU cores.
- B. Modifying the number of enabled OCPU cores does not require database downtime.
- C. Modifying the number of enabled OCPU cores requires database downtime.
- D. The setting of database parameter CPU\_COUNT is not affected by modifying the number of enabled OCPU cores.

**ANSWER: A B**

## QUESTION NO: 5

How many DB systems must you provision before you can enable Oracle Data Guard for a virtual machine DB system database?

- A. It depends on how many standby databases you want for your primary database in the Oracle Data Guard configuration in Oracle Cloud Infrastructure.
- B. Three, first for the primary database, second for the standby database, and a third for the staging database in the Oracle Data Guard configuration.
- C. Two for both the primary and standby database, because a DB system with the database that you want to use as the standby must already exist before you enable Oracle Data Guard.
- D. One with the primary database, because a new DB system with the standby database is created and associated with the primary database when you enable Oracle Data Guard.

**ANSWER: D**

## QUESTION NO: 6

You want to connect to your MySQL DB system's endpoint. You create an Oracle Linux compute instance on the same Virtual Cloud Network as your MySQL DB system. Which TWO actions must you perform to connect to your MySQL Database Service system? (Choose all correct answers)

- A. Install the MySQL client on your local computer.
- B. Define a SQL Developer connection in your MySQL Database Service database system.
- C. Connect to your database system by using the MySQL client on the Linux compute instance.
- D. ssh into the compute instance from your local machine.

**ANSWER: C D**

## QUESTION NO: 7

You define a maintenance window for your MySQL DB systems. When the automatic maintenance process takes place, which TWO activities does the system perform while its status is set to UPDATING? (Choose all correct answers)

- A. It patches the MySQL server itself along with any underlying hardware.
- B. It analyzes, rebuilds, and optimizes MySQL database tables and indexes.
- C. It patches the underlying operating system of the MySQL database.
- D. It upgrades the associated compute instance to the latest Linux operating system version.

**ANSWER: A C**

## QUESTION NO: 8

Which is NOT a prerequisite for patching Grid Infrastructure or database homes when using the console?

- A. The /u01 directory on the database host file system has at least 15 GB of free space for the execution of Patching processes.
- B. Oracle Clusterware is down on the VM cluster.
- C. The required patch is available on the Control Plane server.
- D. All database compute nodes of the VM cluster are up and running.

**ANSWER: B**

## QUESTION NO: 9

What permissions do you need to perform actions on a NoSQL table?

- A. NOSQL\_TABLE\_INSPECT, NOSQL\_TABLE\_UPDATE
- B. NOSQL\_TABLE\_WRITE, NOSQL\_ROWS\_INSERT
- C. NOSQL\_TABLE\_DESTROY, NOSQL\_TABLE\_ALTER
- D. NOSQL\_ROWS\_READ, NOSQL\_ROWS\_DELETE

**ANSWER: D**

## QUESTION NO: 10

Your company's security policy requires you to patch the database within a month of a relevant database patch being released by Oracle. Which method requires the least amount of down time?

- A. Download the latest patch from MOS, back up your database, run a precheck, then apply the patch on the database home.
- B. Own two Oracle Homes (OH193\_A and OH193\_B), each with a test database (193A and 193B respectively).
- C. Back up your database, run a precheck, then apply the patch on the database home where the database resides.
- D. Download the latest patch from MOS, back up your database, and use dbaasc1i to apply the patch on the database home.
- E. Create a new database home, patch it to the version you want, and then move the database to the new home.

**ANSWER: E**