

DUMPSBOSS.

SAP Certified Development Associate SAP Customer Data Cloud

SAP C C4H620 24

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

What login identifiers can you define when setting up your RaaS policies? Note: There are 2 correct answer to this question

- A. A username
- B. An e-mail address
- C. A phone number
- D. A social network identifier

ANSWER: A B

QUESTION NO: 2

You are setting up a new marketing campaign and want to make sure all subscriptions are genuine. How do you make sure users have to confirm via e-mail that they indeed wish to subscribe?

- A. Enable double opt-in in the subscription.
- B. Enable e-mail verification in the subscription.
- C. Enable the required flag in the subscription.
- D. Enable the active flag in the subscription.

ANSWER: C

QUESTION NO: 3

You want to create a new optional data sharing consent. What type of consent should you create?

- A. Other consent statement
- B. Subscription consent statement
- C. Terms of Service consent statement
- D. Privacy Policy consent statement

ANSWER: A

QUESTION NO: 4

Which of the following screens are part of the default Profile Update Screen-Set? Note: There are 3 correct answer to this question

- A. Privacy
- B. Mandatory Password Change
- C. Communication
- D. Change Password
- E. Link Accounts

ANSWER: A C D

QUESTION NO: 5

You are implementing a Web site that will allow users to log in using their company credentials by initiating an OIDC flow. How would you configure your Web site and SAP Customer Data Cloud?

- A. SAP Customer Data Cloud as the RP, and the Web site as the IdP
- B. SAP Customer Data Cloud as the OP, and the Web site as the RP
- C. SAP Customer Data Cloud as the IdP, and the Web site as the SP
- D. SAP Customer Data Cloud as the SP, and the Web site as the OP

ANSWER: B

QUESTION NO: 6

You are implementing SAP Customer Consent using Screen-Sets, but without SAP Customer Identity. Which API call do you need to use to initiate the process of collecting consent?

- A. accounts.register
- B. accounts.login
- C. accounts.notifyLogin
- D. accounts.initRegistration

ANSWER: C

QUESTION NO: 7

Which components can you add to an IdentitySync dataflow? Note: There are 3 correct answer to this question

- A. A datatarget component
- B. A file component
- C. A datasource component
- D. A social component
- E. A field component

ANSWER: B C E

QUESTION NO: 8

You are implementing a mobile app and want to expire user sessions after 1800 seconds. How can you achieve this? Note: There are 2 correct answer to this question

- A. By passing a value of 1800 for the sessionExpiration parameter when calling accounts.login
- B. By having a value of 1800 for the sessionExpiration parameter in global configuration
- C. By passing a value of 1800 for the sessionTimeout parameter in WebSDK configuration
- D. By having a value of 1800 for the sessionExpiration parameter in cookie settings

ANSWER: A C

QUESTION NO: 9

You are editing an IdentitySync dataflow. Which actions can you perform? Note: There are 2 correct answer to this question

- A. Use the datasource.lookup component to check if a record exists in SAP Customer Data Cloud.
- B. Preview the schema in a datasource component.
- C. Add multiple Next steps to a component.
- D. Add a component responsible for starting the schedule of the dataflow.

ANSWER: A C

QUESTION NO: 10

The account progression policy is set to automatic and a user registers a full account with the same e-mail as an existing lite account. What happens to the lite account data?

- A. Only subscription data is copied into the full account.

- B. All data, including data provided during full registration, is copied into the full account.
- C. Only profile and custom data are copied into the full account.
- D. Any data that is NOT provided during the full registration are copied into the full account.

ANSWER: B