

# DUMPSBOSS.

## SAP Certified Application Specialist SAP BW/4HANA 2021 Delta

SAP E BW4HANA211

Version Demo

Total Demo Questions: 10

Total Premium Questions: 43

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

Which BW object type do you need to create a BadI Provider?

- A. DataStore object (advance) in Planning Mode
- B. InfoObject
- C. DataStore object (advance) with Direct Update
- D. CompositeProvider

**ANSWER: A**

## QUESTION NO: 2

Which operations can you perform in the SAP BW/4HANA Cockpit? Note: there are 3 correct answers to this question.

- A. Monitor Process Chains
- B. Manage requests of DataStore objects (advanced)
- C. Create and maintain BW Query variables
- D. Create and maintain indices for DataStore objects (advanced)
- E. Create and maintain Analysis Authorizations

**ANSWER: A B E**

## QUESTION NO: 3

From an SAP BW/4HANA perspective, what is the difference between SAP HANA Smart Data Access (SDA) and SAP HANA Smart Data Integration (SDI)? Note: There are 2 correct answers to this question.

- A. SDI provides options for data replication in real-time, while SDA does NOT provide this capability.
- B. SDA is integrates into the SAP HANA Indexserver while you need to setup an additional SAP 1-1 HANA Data Provisioning server for SDI
- C. SAP BW/4HANA DataSources of source system type "SAP HANA" can connect to SDA sources, U but NOT to SDI sources.
- D. SAP BW/4HANA Open ODS View can be modelled on SDI sources, but NOT on SDA sources.

**ANSWER: B D**

## QUESTION NO: 4

Which of the following SAP BW/4HANA objects support the automatic generation of external SAP HANA views? Note: There are 2 correct answers to this question.

- A. Open ODS View
- B. BW Query
- C. InfoObject Characteristic
- D. DataSource

**ANSWER: B C**

## QUESTION NO: 5

You use a customer master data table as a left table and a transactional sales data table as a right table within a graphical SAP HANA Calculation View.

You want to focus in your report on transactional data showing both: customers with sales volume and without.

Which join type should be used?

- A. Full Outer Join
- B. Referential Join
- C. Left Outer Join
- D. Right Outer Join

**ANSWER: C**

## QUESTION NO: 6

You plan to virtually consume data from an ABAP CDS View in SAP BW/4HANA and decide to use an Open ODS View. Which source type does SAP recommend?

- A. Database Table or View
- B. Virtual table using SAP HANA Smart Data Access
- C. DataSource (BW)
- D. HANA Calculation View

**ANSWER: C**

## QUESTION NO: 7

In an SAP BW/4HANA system you plan to leverage Data Tiering Optimization (DTO) for a DataStore object (advanced).

Which activities are required to set up the HOT tier as well as the COLD tier for this object properly? Note: there are 2 correct answers to this question.

- A. Define partitions for the DataStore object (advanced)
- B. Choose between Temperature Maintenance "On Partition Level" or "On Object Level"
- C. Create a Data Archiving Process (DAP) for the DataStore object (advanced)
- D. Define the planned temperature for each partition

**ANSWER: A C**

## QUESTION NO: 8

A customer wants to convert from SAP BW powered by SAP HANA to SAP BW/4HANA.

What additional value is offered by SAP BW/4HANA compared to SAP BW powered by SAP HANA?

- A. Storing data of DataStore objects (advanced) in Extended Tables
- B. Creating HANA Analysis Processes (HAP)
- C. Generating external SAP HANA Views for SAP BW Queries
- D. Leveraging the Data Tiering Optimization (DTO) concept

**ANSWER: D**

## QUESTION NO: 9

For which SAP Cloud system does SAP recommend using the SAP HANA SDI and its Odata adapter to load data into SAP BW/4HANA?

- A. SAP C/4HANA
- B. SAP SuccessFactors
- C. SAP S/4HANA Cloud
- D. SAP Ariba

**ANSWER: D**

## QUESTION NO: 10

Which features have been removed from SAP BW/4HANA compared to SAP BW powered by SAP HANA? Note: There are 2 correct answers to this question.

- A. Analysis Process Designer (TC: RSANWB)
- B. Analysis Authorizations (TC: RSECADMIN)
- C. Customer Exit variable using RSR00001 (TC: CMOD)
- D. Modeling option of secondary indices for DataStore objects (advanced)

**ANSWER: A C**