

DUMPSBOSS.

SAP Certified Development Professional SAP Commerce Cloud Developer

SAP P C4H340 24

Version Demo

Total Demo Questions: 10

Total Premium Questions: 80

Buy Premium PDF

<https://dumpsboss.co>

support@dumpsboss.co

support@dumpsboss.co
dumpsboss.co

QUESTION NO: 1

When are consignments created for an order in the default order management implementation?

- A. When an administrator approves the order
- B. After the order is placed, but before it is sourced successfully
- C. When the user adds items to the cart
- D. After the order is placed and after it has been sourced successfully

ANSWER: D

QUESTION NO: 2

What happens when you use a deployment tag in the items.xml file? Note: There are 2 correct answer to this question.

- A. All instances of the enclosing type are stored in the specified database table.
- B. Only non-inherited properties of the enclosing type are stored in the deployment table.
- C. The deployment typecode is used as part of the primary key (PK) of that type's items.
- D. The name of the deployment table is generated automatically.

ANSWER: A C

QUESTION NO: 3

What can you do within the integration UI Tool in Backoffice? Note: There are 2 correct answer to this question.

- A. Create a search restriction to secure an integration object for only a certain integration user group.
- B. Set up access rights for integration objects.
- C. Force-delete an integration object even if it is associated with an InboundChannelConfiguration (ICC).
- D. Export the configuration types so that they can be imported into a target system.

ANSWER: D

QUESTION NO: 4

When you are defining properties in manifest.json, which of the following attributes are you allowed to use? Note: There are 3 correct answer to this question.

- A. value
- B. name
- C. environment
- D. key
- E. persona

ANSWER: A D E

QUESTION NO: 5

Your solution has been live for a significant period of time. Now you need to update project data across multiple environments, but this update should only be executed once. What is the recommended approach for updating the project data?

- A. Create a class that extends AbstractPatchesSystemSetup and configure any data patches, which can run an import of your ImpEx files during an update.
- B. Extract a SQL script of all the changes in a single environment, which a OBA can then run directly against the database for all remaining environments.
- C. Create a class that extends AbstractSystemSetup and use the @SystemSetup annotation with TYPE.PROJECT, which can run an import of your ImpEx files during an update.
- D. With each deployment, manually import the ImpEx files via the hybris Admin Console or via the ant importimpex target.

ANSWER: A

QUESTION NO: 6

You have created your products and price rows using the approach displayed in the following ImpEx file:

```
$catalog-id=Default $catalog-
```

```
version=Staged $catalogversion=catalogversion(catalog(id),version)[unique=true,default=$catalog id:$catalog-version]  
INSERT_UPDATE Product;code[unique=true];$catalogversion;name[lang=en];unit(code);approvalStatus(code); ;product!;  
product!;pieces;approved; ;product2;;product2;pieces;approved; #in total 1000 product data
```

```
lines INSERT_UPDATE
```

```
PriceRow;productId[unique=true];price;unit(code);currency(isocode) ;product1;100;pieces;EUR;product 2;200;pieces;EUR  
#in total 1000 price row data lines. After you import this file and synchronize the catalogs (Staged to Online), how many items are stored in the database?
```

- A. 2000 products and 1000 price rows

- B. 1000 products and 2000 price rows
- C. 2000 products and 2000 price rows
- D. 1000 products and 1000 price rows

ANSWER: C

QUESTION NO: 7

What are best practices when using models? Note: There are 2 correct answer to this question.

- A. Create models using Java's 'new' keyword
- B. Use `modelService.getQ` to obtain an item referenced by another using its PK.
- C. Save the model using the `modelService` after the model is modified.
- D. Create models using `modelService.create()`.

ANSWER: C D

QUESTION NO: 8

How is the primary key (PK) for an SAP Commerce Cloud item created? Note: There are 2 correct answer to this question.

- A. It is automatically generated and assigned.
- B. It is generated from a counter and the type code of the item.
- C. It is generated from the item's unique business key(s).
- D. It is provided by the user in the Create wizard or as a column value in `ImpEx`.

ANSWER: A B

QUESTION NO: 9

The miniature car replicas your company sells on its site are now available in a choice of colors, each at a different price point. You wish your product page to allow your customers to select the color before adding the replica to the cart. To complicate things, your boss won't let you restart your production servers to add this functionality. What entities would you have to create to achieve this?

- A. A `ConfigurationCategory`, an `AbstractConfiguratorSetting` for color, a `ConfiguratorType`, and an `OrderEntryProductInfo` for each color a given replica is available in.
- B. A `VariantCategory` for color, a `VariantValueCategory` for each color, and a `GenericVariantProduct` for each color a given replica is available in.

C. A ClassificationCategory, a ClassificationAttribute for color, a ClassificationAttributeUnit, a ClassificationAttributeValue for each color a given replica is available in, and a ClassAttributeAssignmentModel instance to tie them together.

D. A ComposedType, that extends the VariantProduct type to add a color attribute, and an instance of this type for each color a given replica is available in.

ANSWER: C

QUESTION NO: 10

How can you start a business process in SAP Commerce Cloud? Note: There are 2 correct answer to this question.

A. Use the hot folder functionality by creating a file in the configured hot file.

B. Use the Backoffice Business Process section.

C. Invoke the appropriate method of the BusinessProcessService from a script in the hybris Administration Console (hAC) scripting console.

D. Invoke the appropriate method of the BusinessProcessService from Java code.

ANSWER: B C