

# DUMPSBOSS.

## SolarWinds Network Performance Monitor(NPM) Exam

SolarWinds SPM-NPM

Version Demo

Total Demo Questions: 10

Total Premium Questions: 75

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

The Orion platform supports agent-based monitoring for which OS types? (Choose all that apply.)

- A. Sun Solaris
- B. IBM
- C. AIX Unix Agents
- D. Windows
- E. Linux

ANSWER: A B D

## QUESTION NO: 2

When you configure a report, you can limit access to specific users.

- A. TRUE
- B. FALSE

ANSWER: A

## QUESTION NO: 3

You can apply Universal Device Pollers to which object types? (Choose all that apply.)

- A. Interfaces
- B. Nodes
- C. Volumes
- D. Applications

ANSWER: A B C

## QUESTION NO: 4

How many agents does NPM require for Quality of Experience, NetPath, and system monitoring on the same Windows server?

- A. 3
- B. 1
- C. 5
- D. 2

**ANSWER: D**

## QUESTION NO: 5

What is the most time-efficient way to create a report in NPM that shows the top 50 interfaces by percent utilization?

- A. Create an interface report and use a filter to restrict to the top 50
- B. Edit the default top 25 interfaces by percent utilization report and update to the top 50
- C. Run the default top 25 interfaces by percent utilization report for different timeframes
- D. Create a new advanced SQL query report

**ANSWER: A**

## QUESTION NO: 6

What is required of your nodes to detect duplex mismatches? (Choose all that apply.)

- A. Duplex of both devices must be identified as full or half
- B. Ensure corresponding values for each interface are different
- C. The nodes must support topology and be interconnected
- D. Unify the duplex mode configuration on neighboring interfaces

**ANSWER: A B**

## QUESTION NO: 7

What is the average resource consumption of an agent?

- A. Less than 1% CPU, no storage because the agent is 1% in memory for faster access
- B. Between 1-2% CPU if the bandwidth is less than 8 KB/s
- C. Less than 1% CPU, max 1 MB of memory, 1 MB storage
- D. Agents run as a virtual process and do not require local resources

**ANSWER: C**

## QUESTION NO: 8

What is required to monitor tenants in your SDN environment with NPM Cisco ACI monitoring? (Choose all that apply.)

- A. View your SDN environment in Orion Maps
- B. Add an APIC node to NPM
- C. Enable API polling on the APIC node
- D. Enable API polling on all ACI devices

**ANSWER: B D**

## QUESTION NO: 9

Half of your objects in a nested map are down, but the top level map is up. What is the cause?

- A. You set availability thresholds for devices to above 50%
- B. You set availability thresholds for devices to below 50%
- C. You set map status thresholds to above 50%
- D. You set map status thresholds to below 50%

**ANSWER: D**

## QUESTION NO: 10

Which metrics can NPM monitor on an Ethernet switch? (Choose all that apply.)

- A. Configuration changes
- B. Buffer misses
- C. Duplex mismatches
- D. CPU utilization

**ANSWER: A B C**