

# DUMPSBOSS.

## Magento Front End Developer Certification Exam

Magento M70-301

Version Demo

Total Demo Questions: 10

Total Premium Questions: 107

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

You want to add a block to the content of the product detail page, without having to modify a template.

Which three container blocks are rendered regardless of product type and configuration? (Choose THREE.)

- A. alert.urls
- B. product.info.extrahint
- C. product.info.options.wrapper
- D. product.info.options .wrapper.bottom
- E. product.info.additional
- F. product.info.container1
- G. product.info.container2
- H. product.info.attributes

**ANSWER: A B E**

## QUESTION NO: 2

Which three types of files are contained in the folder "app/design!/? (Choose THREE.)

- A. CSS
- B. Image
- C. JavaScript
- D. Layout
- E. Template
- F. Translate

**ANSWER: D E F**

## QUESTION NO: 3

Based on the code below, what color will a browser display in rendering the text inside the div tag?

```
<style>
  div { color: black; }
  #red { color: red; }
  .blue { color: blue; }
</style>

<div id="red" class="blue" style="color: green;">What color is this text?</div>
```

- A. green
- B. blue
- C. red
- D. black

**ANSWER: A**

## QUESTION NO: 4

Which two of the following statements regarding Magento configuration scopes are true? (Choose TWO.)

- A. "Website" has a higher priority than "Store View".
- B. "Store View" has a higher priority than "Website".
- C. "Global" has a higher priority than "Website."
- D. "Website" has a higher priority than "Global".
- E. "Global" has a higher priority than "Store View".
- F. "Global" has a higher priority than "Store".
- G. "Store" has a higher priority than "Store View".

**ANSWER: B D**

## QUESTION NO: 5

In layout XML, which tag attributes are always used when configuring a template block? (Choose THREE.)

- A. as
- B. name
- C. type
- D. value

- E. before
- F. module
- G. template

**ANSWER: B C G**

## QUESTION NO: 6

Given the layout XML example below, which one of the following actions will cause the title, "Some Title," to be translated by Magento?

EXAMPLE:

```
<action method="something">
  <title>Some Title</title>
  <message>Some message</message>
</action>
```

A. Add the strings ("Some Title", "Ein Titel") to a translation CSV file.

B. Change the XML as follows:

```
<action method="something" translate="title">
  <title>Some Title</title>
  <message>Some message</message>
</action>
```

C. Change the XML as follows:

```
<action method="something">
  <title translate="en_US, de_DE">Some Title</title>
  <message>Some message</message>
</action>
```

D. Change the XML as follows:

```
<action method="something">
  <title><en_US>Some Title</en_US><de_DE>Some Title</de_DE></title>
  <message>Some message</message>
</action>
```

- A. Option A
- B. Option B
- C. Option C

D. Option D

**ANSWER: B**

## QUESTION NO: 7

Layered navigation is displayed for a specific category when \_\_\_\_\_?

- A. layered navigation is enabled in System-> Configuration-> Catalog
- B. the category contains products with filterable attributes
- C. "Is Anchor" is set to "Yes" in the category settings
- D. custom layout update XML adds the layered navigation block

**ANSWER: C**

## QUESTION NO: 8

Which two of the following examples can be used to include a custom JavaScript on every page? (Choose TWO.)

- ⌈ A. `<default>`  
    `<reference name="head">`  
        `<action method="addItem"><name>js/my_script.js</name></action>`  
    `</reference>`  
    `</default>`
- ⌈ B. `<default>`  
    `<reference name="head">`  
        `<action method="addItem">`  
            `<type>skin_js</type><name>js/my_script.js</name></action>`  
    `</reference>`  
    `</default>`
- ⌈ C. `<default>`  
    `<reference name="head">`  
        `<action method="addSkinJs"><script>js/my_script.js</script></action>`  
    `</reference>`  
    `</default>`
- ⌈ D. `<default>`  
    `<reference name="head">`  
        `<action method="addJs"><script>my_folder/my_script.js</script></action>`  
    `</reference>`  
    `</default>`
- ⌈ E. `<default>`  
    `<reference name="head">`  
        `<action method="addJavaScript">`  
            `<script>my_folder/my_script.js</script></action>`  
    `</reference>`  
    `</default>`

- A. Option A
- B. Option B
- C. Option C
- D. Option D
- E. Option E

**ANSWER: B D**

## QUESTION NO: 9

You want to add the file "somescript.js" in a template. The JS-file is in the folder "root: js/lib". Which piece of code should you use?

- A. `$this->getItemurl('lib/somescript.js')`
- B. `$this->getskinurl('lib/somescript.js')`

- C. `$this->getJsUrl('lib/somescript.js')`
- D. `$this->getFileurl('lib/somescript.js')`
- E. `$this->getLibUrl('lib/somescript.js')`

**ANSWER: C**

## QUESTION NO: 10

Which file contains the code that renders the grid of products for a page of the catalog?

- A. `catalog/product/list.phtml`
- B. `catalog/product/grid.phtml`
- C. `catalog/category/list.phtml`
- D. `catalog/category/grid.phtml`

**ANSWER: A**