

# DUMPSBOSS.

## Oracle Hyperion Financial Management 11 Essentials

Oracle 1z0-532

Version Demo

Total Demo Questions: 10

Total Premium Questions: 76

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

Identify the three true statements about loading metadata into EPMA. (Choose three.)

- A. Metadata can be loaded into EPMA from interface tables.
- B. Metadata can be loaded into EPMA dimension by dimension.
- C. Metadata can be loaded into EPMA for alias dimensions and security class dimensions.
- D. Metadata can be loaded into EPMA only into the Shared Library.

**ANSWER: A B C**

## QUESTION NO: 2

The organization by period feature is used for what two purposes? (Choose two.)

- A. Segregating rules by month and year
- B. Controlling when entities consolidate into specific parents
- C. Organizing the period dimension into multiple hierarchies
- D. Managing the ownership percentage of one entity by others
- E. Maintaining stored data values for changes in the Entity structure over time

**ANSWER: B E**

## QUESTION NO: 3

How many members Lists can you load at one time?

- A. 1
- B. 2
- C. 4
- D. 10

**ANSWER: A**

## QUESTION NO: 4

For metadata loads, you can import changes to metadata for which three application elements?

(Choose three.)

- A. Periods
- B. Accounts
- C. Entities
- D. Currencies
- E. Value

**ANSWER: B C D**

## QUESTION NO: 5

What are the three characteristics of sub EnumMemberLists ()? (Choose three.)

- A. Specifies which dimensions have member lists
- B. Names each member list in each dimension
- C. Specifies the valid members for a member list
- D. Specifies the number of lists for each dimension
- E. Is used to create both static and dynamic lists

**ANSWER: A B D**

## QUESTION NO: 6

Into which Value dimension member can a journal be entered?

- A. [Parent Adjs]
- B. <Child Curr Adjs>
- C. [Entity Adjs]
- D. <Entity Currency>
- E. [USD]

- A. Option A
- B. Option B

- C. Option C
- D. Option D
- E. Option E

**ANSWER: A**

## QUESTION NO: 7

You need to track and report an additional level of detail for journal entries, tracking whether the adjustment came from the GL, legal, or other source. Identify the best method to meet this requirement.

- A. It is not possible to track additional levels of detail in journals.
- B. Build a custom dimension to capture the additional level of detail.
- C. Build subaccounts in the Accounts dimension to capture the additional level of detail.
- D. Use commentary to note the sources of journals.
- E. Use line item details.

**ANSWER: B**

## QUESTION NO: 8

Custom dimensions may be used to perform

- A. Cash Flows
- B. Roll forwards
- C. Historical Overrides
- D. B and C
- E. A, B, and C

**ANSWER: E**

## QUESTION NO: 9

A custom function in rules is useful for:

- A. Organizing rules into subsets of code

- B. Controlling the ending of an If/Then
- C. Writing code that will be repeated in multiple places
- D. Defining conjunctions to be used along with variables
- E. Custom functions are not possible in FM

**ANSWER: C**

## QUESTION NO: 10

Identify the three true statements about the Financial Management architecture. (Choose three.)

- A. Hyperion Financial Management uses a multitier architecture that includes a client tier, application tier, and a data tier.
- B. The client tier (user interface) communicates with the data tier.
- C. The client tier (user interface) communicates with the application tier.
- D. The application tier contains the application as well as the report and Web servers.
- E. The data tier contains the Essbase database for all Hyperion Financial Management application data and source data.

**ANSWER: A C D**