

# DUMPSBOSS.

## Palo Alto Networks System Engineer Professional - Strata Data Center

Palo Alto Networks PSE-StrataDC

Version Demo

Total Demo Questions: 10

Total Premium Questions: 60

Buy Premium PDF

<https://dumpsboss.co>

[support@dumpsboss.co](mailto:support@dumpsboss.co)

support@dumpsboss.co  
dumpsboss.co

## QUESTION NO: 1

Which three criteria are required to deploy VM-Series firewalls in High Availability?

(Choose three)

- A. deployed on same type of hypervisor
  - B. allocate identical CPU cores and network interfaces
  - C. assigned identical licenses and subscriptions
  - D. deployed on a different host
  - E. configured asymmetric routing
- 

**ANSWER: A B C**

### Explanation:

: In an HA configuration on the VM-Series firewalls, both peers must be deployed on the same type of hypervisor, have identical hardware resources (such as CPU cores/network interfaces) assigned to them, and have the set same of licenses/subscriptions.

<https://docs.paloaltonetworks.com/vm-series/9-0/vm-series-deployment/about-the-vmseries-firewall/vm-series-in-high-availability.html>

## QUESTION NO: 2

Which two OpenStack components are used in the creation of a VM-Series firewall from a heat template in OpenStack?

(Choose two )

- A. Swift creates the storage resources.
- B. Nova creates the firewall instance.
- C. Horizon
- D. Neutron creates the network resources.

**ANSWER: A C**

## QUESTION NO: 3

Which configuration is required in NSX for Panorama to use the tags from security groups in dynamic address groups?

- A. Create security groups only.
- B. Create security groups and mark them as exchangeable.
- C. Create security groups with tags marked as shareable.
- D. Create security groups and use them in an NSX-to-Palo Alto Networks redirection policy.

**ANSWER: A**

## QUESTION NO: 4

Which VM-Series can be deployed on VMware NSX?

- A. VM-100, VM-200, VM-300, VM-500, VM-1000-HV
- B. VM-50r, VM-100, VM-200, VM-300, VM-500
- C. VM-100, VM-200, VM-300, VM-500, VM-700
- D. All VM Series Models can be deployed on VMware NSX

**ANSWER: A**

**Explanation:**

: <https://docs.paloaltonetworks.com/vm-series/8-1/vm-seriesdeployment/about-the-vm-series-firewall/vm-series-models.html>

## QUESTION NO: 5

In PAN-OS, which three NSX features can be pushed from Panorama? (Choose three )

- A. user IP mappings
- B. steering rules
- C. multiple authorization codes
- D. security group assignments of VMs
- E. security groups

**ANSWER: A C E**

## QUESTION NO: 6

Which features are included in the less-expensive license bundle meant for NSX?

- A. capacity license, premium support, a threat prevention subscription, and GlobalProtect
- B. capacity license and premium support
- C. capacity license, premium support and a threat prevention subscription
- D. capacity license and a threat prevention subscription

**ANSWER: B**

### Explanation:

: <https://docs.paloaltonetworks.com/vm-series/8-1/vm-seriesdeployment/license-the-vm-series-firewall/license-typesvm-series-firewalls>

## QUESTION NO: 7

What are two types of security that can be implemented across every phase of the Build, Ship, and Run lifecycle of a workload? (Choose two )

- A. Runtime Security
- B. Firewalling
- C. Vulnerability Management
- D. Compliance or Configuration Management

**ANSWER: C D**

## QUESTION NO: 8

How is traffic directed to a Palo Alto Networks firewall integrated with Cisco ACI?

- A. by creating an access policy
- B. through a policy-based redirect (PBR)
- C. contracts between EPGs that send traffic to the firewall using a shared policy

D. through a virtual machine monitor (VMM) domain

**ANSWER: C**

## QUESTION NO: 9

For which two reasons would an administrator have to install NGFW automatically in a cloud environment? {Choose two }

- A. reduce capital expenses
- B. performance, to be able to install a new firewall when the demand exceeds the ability of the existing environments to service
- C. integrity, to ensure that data is not changed illicitly
- D. resiliency and availability, to be able to install a new firewall as part of a new environment if an existing environment fails
- E. security, to automatically install a firewall when a security threat is detected

**ANSWER: B E**

## QUESTION NO: 10

How does the Palo Alto Networks NGFW integrate with Arista Networks Macro-Segmentation Service?

- A. Arista supports all hardware models of the Palo Alto Networks NGFW natively.
- B. Arista allows standalone non-HA firewalls to be attached to a service leaf switch. You must configure an Elastic Load Balancer to obtain fault tolerance.
- C. Arista CloudVision obtains relevant rules from Panorama through API and programs the Arista switches to steer intercepted east-west traffic to the Palo Alto Networks NGFW.
- D. Arista owns the Security policy. It can extend the concept of fine-grained intra-hypervisor security for VMs by enabling dynamic insertion of services for virtualized devices such as firewalls

**ANSWER: D**